Years of the Maritime Continent

Kunio Yoneyama[1] and Chidong Zhang[2]

[1]Japan Agency for Marine-Earth Science and Technology (JAMSTEC)
[2]NOAA Pacific Marine Environmental Laboratory (PMEL)

November 26, 2022

Abstract

Years of the Maritime Continent (YMC) is a multi-year international program with participants from over 15 countries. Its overarching goal is to expedite the progress of improving understanding and prediction of local oceanic and atmospheric multi-scale variability of the Indo-Pacific Maritime Continent (MC) and its global impact through observations and modeling exercises. YMC is motivated by unique role of the MC in the local and global weather-climate system, our lack of understanding of the key processes governing this role, and persistent systematic regional biases and errors in numerical models. YMC builds a comprehensive database of the MC weather-climate system and educates the next generation of scientists who will be the core workforce and leaders to further advance the study of the MC.

Years of the Maritime Continent

K. Yoneyama[1] and C. Zhang[2]

[1] Japan Agency for Marine-Earth Science and Technology, Yokosuka, Japan

[2] NOAA Pacific Marine Environmental Laboratory, Seattle, WA, US

Corresponding author: Kunio Yoneyama (yoneyamak@jamstec.go.jp)

Key Points:

- The Indo-Pacific Maritime Continent (MC) plays a pivotal role in global weather-climate.
- Years of the Maritime Continent (YMC) is an international program for improving understanding and prediction of local variability of the MC and its global impact.
- Preliminary results from YMC reveal new information of physical processes key to multi-scale variability in the MC.

Abstract

Years of the Maritime Continent (YMC) is a multi-year international program with participants from over 15 countries. Its overarching goal is to expedite the progress of improving understanding and prediction of local oceanic and atmospheric multi-scale variability of the Indo-Pacific Maritime Continent (MC) and its global impact through observations and modeling exercises. YMC is motivated by the unique role of the MC in the local and global weather-climate system, our lack of understanding of the key processes governing this role, and persistent systematic regional biases and errors in numerical models. YMC builds a comprehensive database of the MC weather-climate system and educates the next generation of scientists who will be the core workforce and leaders to further advance the study of the MC.

1. Introduction

The Indo-Pacific Maritime Continent (MC) is a unique mixture of over 22,000 islands in the mid of Earth's warmest body of water, the Indo-Pacific warm pool. This largest archipelago on Earth is known for its complex geophysical setting, its marine and land biodiversity, and its rich human history and culture. The MC plays a pivotal role in the global weather-climate continuum. The intricate distributions of land, sea and terrain of the MC cultivate intriguing scale interactions, which breed high-impact local events such as floods. Predicting extreme events associated with the diurnal cycle, synoptic weather systems, Madden-Julian Oscillation (MJO), and monsoons is of paramount socioeconomic benefit to the region.

The MC hosts the world's strongest atmospheric convection center. Its tremendous energy release fuels the global atmospheric circulation, including Rossby wavetrains that emanate out of the tropics and influence weather at higher latitudes. MJO teleconnections sensitively depend on the location of its convection center relative to the MC. The MC is, however, a known barrier for MJO propagation. Because of atmospheric deep convection penetrating the tropopause and generating gravity waves, the MC is a primary spot for vigorous stratosphere-troposphere interactions. The Indonesian Throughflow (ITF), the artery connecting the tropical Pacific and Indian Oceans, is a crucial branch of the global ocean circulation that affects climate in the region and afar. With many sources of natural and anthropogenic aerosol, the MC is an ideal natural laboratory to study their interactions with the rest of the weather-climate system.

Current global climate models and weather prediction models suffer from persistent systematic biases in precipitation and limited predictions skills in the MC region. They cannot reproduce the observed diurnal cycle and they exaggerate the MJO barrier effect of the MC.

Years of the Maritime Continent (YMC), a multi-year international project, is organized to expedite the progress of improving understanding and prediction of local multi-scale variability of the MC weather-climate system and its global impact through observations and numerical modeling. This article briefly summarizes the background, motivation, objectives, scientific themes, main activities, preliminary results, and forthcoming plans of YMC.

2. Scientific Issues

2.1 Diurnal Cycle

The diurnal cycle can be considered the heart beat of the weather-climate system in the MC. Rainfall starts near coasts in the local afternoon and reaches its peak in early night. Around midnight, rainfall moves from the land to water, where it reaches its maximum in the early morning, with extensive anvils and stratiform rain that gradually dissipate around local noon. The amplitude of the diurnal cycle in precipitation is the largest near the coast of major islands and near mountain ranges, where it is 2-3 times larger than anywhere else in the tropics (Nitta & Sekine, 1994; Yang & Slingo, 2001; Mori et al., 2004). The convective diurnal cycle is determined by factors such as land-sea breezes, topography, meso-scale convective systems (MCSs), gravity waves, etc. (Houze et al., 1981; Hadi et al., 2002; Mapes et al., 2003; Sakurai et al., 2005). Numerical models cannot correctly represent these factors and thus produce common systematic errors in the timing and amplitude of the diurnal cycle (Takayabu & Kimoto, 2008; Sato et al., 2009; Love et al., 2011; Folkins et al., 2014). The diurnal cycle is connected to synoptic-scale perturbations (Houze et al. 1981), the monsoons (Johnson & Priegnitz 1981), and the MJO (Chen et al., 1996; Tian et al., 2006; Ichikawa & Yasunari, 2007; Rauniyar & Walsh, 2011; Peatman et al., 2014). Relative contributions to the diurnal cycle in rainfall from land surface conditions, island geometry, air-sea interaction, and background flows, and feedbacks from the diurnal cycle to the large-scale variability need to be quantified.

2.2 Synoptic Systems

Cold surges and Borneo vortices are common in boreal winter. Triggered by southward and eastward movements of the Siberian High, cold surges pass through the South China Sea and reach/cross the equator (Chang et al., 2016). Their associated enhancement of the upper-tropospheric outflow over the MC and the East Asian meridional overturning circulation may strengthen the East Asian jet and lead to further interactions with midlatitude systems (Chang & Lau, 1982; Lau & Chang, 1987). The intensity of Borneo vortices is often modulated by cold surges. They both affect convection, MCS and even tropical depression (Chang et al., 2005, 2016). The exact nature of the interaction among these synoptic perturbations and with the diurnal cycle, MJO, monsoons have yet to be fully understood.

2.3 Intraseasonal Oscillations

The MC exerts a barrier effect on the MJO by weakening it or completely stopping it from propagating through (Rui & Wang, 1990; Zhang & Ling, 2017). This barrier effect is often exaggerated in numerical models (Kim et al., 2009; Seo et al., 2009), creating a “Maritime Continent prediction barrier” for the MJO (Weaver et al., 2011; Fu et al., 2013). Global impact of the MJO (Fig. 1) depends on longitudinal locations of its convection center. Possible reasons for the barrier effect include: a reduced surface moisture source because of the land coverage (Sobel et al., 2010), topographic interference with the low-level flow (Hsu & Lee, 2005; Inness & Slingo, 2006; Wu & Hsu, 2009), and an energy drain by the perpetual diurnal cycle in precipitation over land (Neale & Slingo, 2003). Studies on the barrier effect must cover mechanisms for both its causes and overcoming.

Air-sea interaction has been proposed as a mechanism for the northward propagation of the boreal summer intraseasonal oscillations (BSISOs) (Hsu & Weng, 2001; Fu et al., 2003; Bellon et al., 2008). It has yet to be confirmed that this mechanism is at work over the MC, given the presence of the islands as well as other processes such as the MJO and synoptic perturbations (Chen & Murakami, 1988; Lawrence & Webster, 2002; Wang et al., 2009).



Figure 1. Schematic illustration of global impact of the MJO. The locations of the symbols are not meant to be precise. Included MJO-affected phenomena are incomplete.

2.4 Monsoons

The MC is a crossroad of the East Asian monsoons. There, the seasonal cross-equatorial flows switch between northerlies in boreal winter to southerlies in boreal summer. They determine the locations of coastal upwelling (Susanto et al., 2001). During boreal winter, the northeasterly monsoon flow in the northern hemisphere provides a favorable mean condition for the equatorial penetration of cold surges, and the Indo-Australian monsoon onset often coincides with the arrival of the first MJO event (Hendon & Liebmann, 1990). During boreal summer, the mean monsoon flow is a major moisture supply to the rainfall over the South China Sea and the Philippine Sea (Murakami & Matsumoto, 1994; Wang, 2006; Kubota et al., 2011) and may provide mechanisms for the northward propagation of BSISO when interacting with small-scale convective systems (Jiang et al., 2004; Bellon & Sobel, 2008; Kang et al., 2010).

2.5 Oceans

The ITF is the most prominent signature in the ocean circulation of the region (Godfrey, 1996; Gordon, 2005). It plays an essential role in the regional climate (Lee et al., 2002) as well as the MC Sea heat and salt budgets (Kida & Wijffels, 2012). The South China Sea throughflow (Qu et al., 2006) also affects the heat distribution in the MC, the water properties of the ITF, and the tropical Indian and western Pacific Oceans (Wang et al., 2006; Gordon et al., 2012). The complex array of shallow and deep marginal seas in the MC forms an integral component of the larger-scale ocean and climate, responding to and in turn influencing those systems. The MC Seas share a common trait of warm, relatively low salinity surface layers of <50 m thick. In the deeper seas the surface layer is underlain by a strong thermocline, resulting in a salinity-stratified barrier layers and a warm mixed layer that trap surface fluxes (Sprintall et al., 2014). The upper ocean is influenced by many factors on various time scales. These factors include the monsoonal winds (Gordon & Susanto, 2001; Qu et al., 2005), ocean Kelvin waves (Drushka et al., 2010; Pujiana et al., 2013), the MJO (Napitu et al., 2015), inertial mixing (Alford & Gregg, 2001), tidal mixing (Ffield & Gordon, 1996; Koch-Larrouy et al., 2010), and lateral advection (Kida & Richards, 2009).

2.6 Air-Sea Interactions

Through TOGA COARE (Webster & Lukas, 1993), CINDY/DYNAMO/AMIE/LASP (Yoneyama et al., 2013) and many other field campaigns, we have gained tremendous knowledge and understanding of air-sea interactions over open oceans on diurnal to intraseasonal timescales (Chen and Houze, 1997; Moum et al., 2014; DeMott et al., 2015; de Szoeke et al., 2015). It is, however, unclear to what extent such knowledge and understanding can be applied to the MC, given its intricate geographic setting. Many features of the MC are absent from open oceans but may play essential roles in local air-sea interactions. They include freshwater input from river runoff, strong diurnal cycles in land convection and wind (land-sea breezes), topographic interference with low-level wind, blocking of surface fluxes by land, tidal mixing, strong ocean advection, and coastally trapped oceanic waves and upwelling. Making in situ surface observations in the region remains a challenge due to heavy marine traffic. A key unresolved issue is the role of land-related processes in air-sea interactions of the MC.

2.7 Troposphere-Stratosphere Interactions

Above the warm pool embedding the MC lies an extremely cold tropical tropopause layer (TTL). Where high altitude cirrus preferentially forms and sediments (Massie et al., 2007), and extremely dry air enters the tropical stratosphere before being transported globally through the global equator-to-pole Brewer-Dobson transport circulation (Butchart, 2014), and thus influencing global radiative forcing (Solomon et al., 2010) and polar ozone loss (Shindell, 2001). Gravity waves generated by MC deep convection (Tsuda et al., 2000) propagate upward, interact with the mean zonal flow in the stratosphere, and help produce the quasi-biennial oscillation and the semi-annual oscillation. The transport of gas and particles in the TTL and more generally, in the upper troposphere and lower stratosphere, and dehydration/hydration processes are influenced and controlled by deep convection (Liu and Zipser, 2005; Iwasaki et al., 2012), diurnal variability including atmospheric tides (Fujiwara et al., 2009), and equatorial waves (Suzuki et al., 2013), all of which are common and vigorous in the MC region. Tropospheric-lower stratospheric winds exhibit geographical differences in the MC (Widiyatmi et al., 2001; Okamoto et al., 2003). In situ observations of these processes are needed for validation of satellite observations and numerical simulations.

2.8 Aerosol

The MC is a major source of different types of aerosol from biomass burning of agriculture practice and deforestation (Reid et al., 2012), industrial pollution due to economic development (Salinas et al., 2013), and sea spray from surrounding oceans with frequent high-wind events (Shpund et al., 2019). The monsoon circulation and cold surges may bring aerosol from remote sources to the MC. The response of local convective clouds to fluctuations in aerosol is unclear for several reasons. It is challenging to separate dynamical effects under various meteorological conditions (ENSO, monsoons, MJO, synoptic perturbations, diurnal cycle) from those of the embedded aerosol themselves (Campbell et al., 2016). Very little is known about the abundance and characteristics of "background" aerosol in the MC to contrast with polluted scenarios. We also know little about the characteristics of the local aerosol in terms of their roles as cloud condensation or ice nuclei. These difficulties make the region an almost ideal natural laboratory for experimental studies on interactions between tropical clouds and aerosol.

2.8 Prediction Improvement

As for many other parts of the world, the major forecast concerns for the MC are extreme or high impact events, particularly very heavy rainfall events that can result in flash floods, landslides and large-scale inundation. Experience tells that they are usually associated with large-scale phenomena such as ENSO, Indian Ocean dipole, monsoon surges, the MJO, and synoptic perturbations such as Sumatra squall lines, Borneo vortices, and equatorial waves. Model errors in the MC spread quickly around the globe (Ferranti et al., 1990; Hendon et al., 2000). Improving prediction for the MC depends on better representations of sub-grid scale processes that are critical to scale interactions, particularly related to the diurnal cycle (Love et al., 2011) and systematic biases in mean precipitation (Martin et al., 2006).

3. YMC Goal, Objectives, Themes, and Activities

The overarching goal of YMC is *observing the weather-climate system of the Earth's largest archipelago to improve understanding and prediction of its local variability and global impact.* To help reach this goal, YMC strives to achieve the objectives of (i) Building a comprehensive database of the MC weather-climate system, (ii) Advancing modeling and prediction capability, and (iii) Educating the next generation of scientists in the region. YMC targets five science themes: Atmospheric Convection, Upper-Ocean Processes and Air-Sea Interactions, Stratosphere-Troposphere Interactions, Aerosol, and Prediction Improvement. These themes are motivated by scientific needs described in the previous section. YMC engages five main activities: Data Sharing, Field Campaigns, Modeling, Prediction and Applications, and Outreach and Capacity Building. By considering complexity of multi-scale interactions among dominant various temporal-spatial modes, YMC encourages field campaigns at different locations and time using all possible platforms of observations. YMC sets the field campaign period from July 2017 through February 2021 as Phase-1 with intensive observations on specific topics shorter than 1-2 months in addition to long-term observations by the MC local operational agencies and by special land-based or mooring systems. During Phase-2, the participants will evaluate the improvements of our knowledge on processes, modeling simulation and prediction skills, and capacity building under the YMC framework with tighter relations between science, operations, and applications.

Table 1. IOPs conducted and planned by multi-national participation.

	Project	Main Targets	Locations	Time	Main Participation
1	YMC Pilot Study	Diurnal cycle, MJO	Sumatra Is.	Nov. - Dec. 2015	Japan, Indonesia
2	Sea-Air-Land Interaction in the Context of Archipelago (SALICA)	Air-sea interaction	Western Pacific	Aug. 2017, Aug. - Oct. 2018	Philippines, US
3	YMC-Sumatra	Diurnal cycle, MJO	Sumatra Is.	Nov 2017 - Jan. 2018	Japan, Indonesia, US
4	South China Sea Two-Island Monsoon Experiment (SCSTIMX)	Monsoon	South China Sea (SCS)	Dec. 2017, May - Jun. 2018, Aug. - Oct. 2018	Taiwan, US
5	YMC- Boreal Summer Monsoon (BSM)	BSISO, Troposphere-Stratosphere interaction	Western Pacific, Vietnam, Sumatra Is.	Jun. - Aug. 2018	Japan, Palau, Philippines, Vietnam, Indonesia
6	Propagation of Intra-Seasonal Tropical Oscillations (PISTON)	BSISO, Diurnal Cycle	Western Pacific	Aug. - Oct. 2018, Sept. 2019	US, Taiwan, Philippines
7	MJO and Australian Monsoon Onset Study (MAMOS) & Coupled Warm Pool Dynamics in the Indo-Pacific	MJO, Monsoon, Air-sea interaction	Eastern Indian Ocean (EIO)	Nov. 2018 - Oct. 2019	China, Australia
8	Ocean Mixing & Coastal Acoustic Tomography (CAT)	Tidal mixing	Indonesian Seas	Feb. - Mar. 2019	Japan, Indonesia, China, US
9	Cloud, Aerosol and Monsoon Processes Philippines Experiment (CAMP2Ex)	Aerosol-cloud interaction	SCS, Western Pacific	Aug. - Oct. 2019	US, Philippines
10	Tropical observations of atmospheric convection, biogenic emissions, ocean mixing, and processes generating intraseasonal SST variability	Diurnal cycle, MJO, Ocean mixing	EIO, Timor Sea	Oct. - Dec. 2019	Australia, Indonesia, UK, Taiwan
11	Equatorial Line Observations (ELO)	Equatorial waves	EIO, Indonesian Seas, Sumatra Is.	Jan. - Apr. 2019, Jan. - Feb. 2020	US, UK, Poland, Indonesia
12	TerraMaris	Diurnal cycle, MJO	South of Java Is.	Jan. - Feb. 2021	UK, Indonesia, Australia
13	YMC-Banda Sea	Air-sea interaction	Banda Sea	Jan. - Feb. 2021	US, Indonesia
14	Modeling Indonesian Throughflow International Experiment (MINTIE)	Indonesian Throughflow	Indonesian Seas	Jan. - Feb. 2021 Jan. - Feb. 2022	US, Indonesia, Australia, China
15	Diurnal Cycle Interactions with MJO Propagation (DIMOP)	Diurnal cycle, MJO	Borneo Is.	Pending	US, Indonesia



Figure 2. Areas of IOPs (red circle). Numbers correspond to ones indicated in Table 1. Blue dots indicate radiosonde sounding stations operated by the participating MC meteorological agencies.

Table 1 and Fig. 2 summarize major Intensive Observation Periods (IOPs) conducted or planned during YMC as of December 2019. They cover the campaigns with multi-national participations under the framework of or in coordination with YMC. Various types of coordination have been accomplished among those projects. For example, while US projects PISTON and CAMP^{2}Ex conducted their observations as their own international efforts, they also collaborated with SALICA and SCSTIMX projects. Japan-Indonesia joint project Ocean Mixing was coordinated with another Japan-Indonesia-China-US project CAT to study ITF in the Lombok strait, which led to a finding of rapid subsurface temperature changes due to internal solitary waves (Syamsudin et al., 2019). The YMC open data policy allows researchers to combine observation data obtained from different periods and/or areas for further analyses. Figure 2 also shows the radiosonde sounding network by the MC local agencies. They have agreed to provide the scientific community with their original high-resolution data during YMC Phase-1. Such high-resolution soundings are usually not available for operational or scientific use. It is highly expected that they help capture large-scale atmospheric features not available from satellite and other routine observing systems. In addition, other routine data sets such as those from surface meteorology stations and scanning weather radars will also be available at some sites (not shown here). Data available from the YMC IOPs as well as the regional observing networks form the base for the action of "Data Sharing" as a key YMC activity. Data archive as well as information on the campaigns are available from YMC website at http://www.jamstec.go.jp/ymc/.

4. Preliminary Results

There are many recent studies on subjects relevant to YMC (Yoden et al., 2017; Yamanaka et al., 2018). Here we briefly discuss results based on either YMC data or events during YMC.

A YMC pilot study was conducted in November - December 2015 with R/V Mirai deployed offshore of the west coast of Sumatra Island near Bengkulu where a land-based observation site is located. This pilot study led to the YMC-Sumatra 2017 field campaign of the same setting during November 2017 through January 2018. Both field campaigns were designed to study migration processes of diurnally evolving atmospheric convection and its interactions with the MJO. A clear offshore migration of rainfall from evening to early morning was observed during convectively suppressed periods of the MJO. This suggests a possible role of gravity waves, which might cause ascending motions in the lower troposphere ahead of cumulus convection (Yokoi et al., 2017). Westward moving diurnal convection over the western coast of Sumatra may converge with mesoscale convective systems of the eastward propagating MJO and immediately cause torrential rain along the coast (Wu et al., 2017). These behaviors can be modulated by large-scale wind patterns during the El Niño in 2015 or La Niña in 2017, respectively (Nasuno, 2019; Yokoi et al., 2019). Also observed is an effect of MJO convection on a sudden deepening of an oceanic barrier layer from 5-10 m to 85 m in 5 days (Moteki et al., 2018). This widened the temperature difference in the lower troposphere between the ocean and land, which may influence the behavior of offshore propagation of the diurnal convection (Wu et al., 2018). Videosonde observations near a coastal region of Sumatra Island revealed large numbers of ice crystals in the upper layer of the thick stratiform clouds and spherical graupel immediately above the freezing level (Suzuki et al., 2018). All results above mentioned are based on in-situ measurements. Such unique high-resolution data offer the opportunity to evaluate previous numerical modeling studies such as the role of gravity waves in rainfall offshore migration (Hassim et al., 2016), the impact of the MJO on the ocean (Shinoda et al., 2016), etc. It is also possible to expand previous studies, which were done from large-scale viewpoints. For example, Kubokawa et al. (2016) showed that temperature perturbations in the TTL over the mountainous regions of the MC are 1-2 K larger than those measured in regions of lower elevation, which they attributed as topography effect. YMC data obtained around the coastline may fill the gap of details in such topography differences. Besides, microphysics obtained by videosondes may provide a clue to study lightning activity over the MC, where diurnal lightning variability is strongly modulated by the passage of the MJO (Virts et al., 2013). Preliminary results obtained so far suggest possible usage of campaign data to verify various hypotheses for convective processes over the MC.

Data from those field campaigns also have been used to evaluate numerical models. Dipankar et al. (2019) used in situ observations from R/V Mirai during the 2015 YMC pilot study to assess numerical model skills. They found that a low-SST bias in initial conditions caused a delay of simulated diurnal cycle of rain over land. Meanwhile, observed cases during YMC have been targeted for numerical modeling. In a case study focusing on heavy rainfall events observed in October 2017, Porson et al. (2019) examined prediction skills of convective rainfall over Singapore using convection-permitting regional model ensembles nested within two global ensembles. They found no clear advantage of using one global ensemble over the other, but their combination gives better results. It is expected that more modeling studies will use YMC data that are of high resolution in time, even though they may not be available for operational use. When other parameters observed by specially deployed instruments such as C-band polarized weather radar are assimilated into regional high-resolution data products, more detailed evaluation of numerical models will be possible. Thus, more cases can be studied by combining in-situ field campaign data with operational numerical models.

There are many other studies motivated by YMC and/or addressing YMC issues using data from satellites, global reanalysis products, and numerical models. These studies cover a wide range of topics; the diurnal cycle (Baranowski et al., 2019), MJO propagation over the MC

(Burleyson et al., 2018; Pang et al., 2018) and its barrier effect (DeMott et al., 2018; Ling et al., 2019), atmospheric waves (Ruppert & Zhang, 2019; Takasuka et al., 2019), aerosol (Bagtasa et al., 2018; Cohen et al., 2018; Koplitz et al., 2018), the monsoon (Diong et al., 2019; Duan et al., 2019), the ITF and the ocean in general (Cao et al., 2019; Gordon et al., 2019; Hu et al., 2019; Liang et al., 2019), prediction and predictability (Wang et al., 2019), and others.

5. A Cross-Organization Special Collection

YMC has motivated a surge of research activities on various topics related to the MC. Publications on these topics have been and will be published in a wide range of international journals. Particularly, each YMC field campaign will be followed by a number of publications dedicated to it. To better serve readers who are interested in YMC and the MC in general, it is desirable to establish a cross-organization special collection of journal articles on the YMC topics, so that readers can see a list of the entire collection at a single stop instead of going through each journal of these organizations. This collection on YMC has been arranged by the YMC Science Steering Committee and seven professional organizations in the fields of atmospheric and oceanic sciences. These professional organizations are *the American Geophysical Union*, *the American Meteorological Society*, *the Australian Meteorological and Oceanographic Society*, *the Chinese Geoscience Union*, *the European Geosciences Union*, *the Meteorological Society of Japan*, *and the Royal Meteorological Society*. Table 2 lists the journals of these organizations that participate in the special collection.

Authors who are interested in publishing in this cross-organization special collection on YMC are encouraged to submit their manuscripts to their preferred journals. Articles accepted by the participating journals after their regular review processes will be included in a master list hosted at the YMC website (http://www.jamstec.go.jp/ymc/ymc_sp_collection.html). A link to this master list is provided at the special collection webpage of each participating journal/organization. This special collection covers 2020 - 2025. Authors of articles on the YMC topics published in 2017-2019 in the participating journals may request their papers to be retrospectively included in the special collection. Open access is highly encouraged for articles in this special collection.

Table 2. List of journals that participate in the cross-organization special collection on YMC

Journal	Organization
Atmospheric Chemistry and Physics	*The European Geosciences Union*
Atmospheric Science Letters	*The Royal Meteorological Society*
Bulletin of the American Meteorological Society	*The American Meteorological Society*
Earth and Space Science	*The American Geophysical Union*
Geophysical Research Letters	*The American Geophysical Union*
International Journal of Climatology	*The Royal Meteorological Society*
Journal of Advances in Modeling Earth Systems	*The American Geophysical Union*
Journal of Climate	*The American Meteorological Society*
Journal of Geophysical Research – Atmospheres	*The American Geophysical Union*
Journal of Geophysical Research – Oceans	*The American Geophysical Union*
Journal of Physical Oceanography	*The American Meteorological Society*
Journal of Southern Hemisphere Earth Systems Science	*The Australian Meteorological and Oceanographic Society*
Journal of the Atmospheric Sciences	*The American Meteorological Society*
Journal of the Meteorological Society of Japan	*The Meteorological Society of Japan*
Monthly Weather Review	*The American Meteorological Society*
Nonlinear Processes in Geophysics	*The European Geosciences Union*
Ocean Science	*The European Geosciences Union*
Quarterly Journal of the Royal Meteorological Society	*The Royal Meteorological Society*
Scientific Online Letters on the Atmosphere	*The Meteorological Society of Japan*
Terrestrial, Atmospheric and Oceanic Sciences	*The Chinese Geoscience Union*
Weather and Forecasting	*The American Meteorological Society*

6. Concluding Remarks

YMC started its field campaign of a pilot study in 2015. Its multiple field campaigns have been conducted since July 2017 and more are scheduled to take place through 2021 and beyond. This article briefly summarizes its scientific background, needs, objectives, research themes, major activities, and preliminary results with suggestions of possible future research approaches in relevance to previous studies. YMC adopts an open data policy which requires field campaign participants to release quality-controlled data within one year after the completion of their field observations. It is anticipated that YMC field campaign observations and data from MC operational observing networks will, in combination with other global data (satellite, data assimilation products) and in integration with numerical models, expedite the progress of understanding and predicting the weather-climate system of the MC and its global impact.

Acknowledgements

YMC is indebted to the MC local agencies including Indonesian Agency for Meteorology Climatology and Geophysics (BMKG), Agency for the Assessment and Application of Technology (BPPT), National Institute of Aeronautics and Space (LAPAN), Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA), Meteorological Service Singapore, Malaysian Meteorological Department, and Australian Bureau of Meteorology, for their contributions by offering their high-resolution operational data, coordinating and participating field campaigns, and organizing workshops and meetings for YMC planning and execution. CZ is supported by a NOAA Climate Program Office grant. This is PMEL contribution #5042. Data and information about the campaigns shown here are available from http://www.jamstec.go.jp/ymc/.

References

Alford, M. H., & Gregg, M. C. (2001). Near-inertial mixing: Modulation of shear, strain and microstructure at low latitude. *Journal of Geophysical Research: Oceans*, *106*(C8), 16947-16968. https://doi.org/10.1029/2000JC000370.

Bagtasa, G., Cayetano, M. G., & Chung-Shin, Y. (2018). Seasonal variation and chemical characterization of PM 2.5 in northwestern Philippines. *Atmospheric Chemistry and Physics*, *18*(7), 4965. https://doi.org/10.5194/acp-18-4965-2018.

Baranowski, D. B., Waliser, D. E., Jiang, X., Ridout, J. A., & Flatau, M. K. (2019). Contemporary GCM fidelity in representing the diurnal cycle of precipitation over the Maritime Continent. *Journal of Geophysical Research: Atmospheres*, *124*(2), 747-769. https://doi.org/10.1029/2018JD029474

Bellon, G., & Sobel, A. H. (2008). Instability of the axisymmetric monsoon flow and intraseasonal oscillation. *Journal of Geophysical Research: Atmospheres*, *113*, D07108, https://doi.org/10.1029/2007JD009291.

Bellon, G., Sobel, A. H., & Vialard, J. (2008). Ocean-atmosphere coupling in the monsoon intraseasonal oscillation: a simple model study. *Journal of Climate*, *21*(20), 5254–5270. https://doi.org/10.1175/2008JCLI2305.1

Burleyson, C. D., Hagos, S. M., Feng, Z., Kerns, B. W., & Kim, D. (2018). Large-Scale Environmental Characteristics of MJOs that Strengthen and Weaken over the Maritime Continent. *Journal of Climate*, *31*(14), 5731-5748. https://doi.org/10.1175/JCLI-D-17-0576.1

Butchart, N. (2014). The Brewer-Dobson circulation. *Review of Geophysics, 52*(2), https://doi.org/10.1002/2013RG000448.

Campbell, J. R., Ge, C., Wang, J., Welton, E. J., Bucholtz, A., Hyer, E. J., Reid, E. A. et al. (2016). Applying advanced ground-based remote sensing in the Southeast Asian maritime continent to characterize regional proficiencies in smoke transport modeling. *Journal of Applied Meteorology and Climatology*, *55*(1), 3-22. https://doi.org/10.1175/JAMC-D-15-0083.1.

Cao, G., Xu, T., He, Y., Wang, L., Wang, D., Wei, Z., & Zhu, Y. (2019). Seasonality in intraseasonal sea surface temperature variability along the Sumatra-Java southern coast. *Journal of Geophysical Research: Oceans*, *124*(7), 5138-5157. https://doi.org/10.1029/2018JC014853

Chang, C.-P., Harr, P. A., & Chen, H. J. (2005). Synoptic disturbances over the equatorial South China Sea and western Maritime Continent during boreal winter. *Monthly Weather Review, 133*(3), 489-503. https://doi.org/10.1175/MWR-2868.1

Chang, C.-P. & Lau, K. M. (1982). Short-term planetary-scale interactions over the tropics and midlatitude during northern winter. Part I: Contrasts between Active and Inactive Periods. *Monthly Weather Review*, *110*(8), 933-946. https://doi.org/10.1175/1520-0493(1982)110<0933:STPSIO>2.0.CO.2

Chang, C. P., Lu, M. M., & Lim, H. (2016). Monsoon convection in the maritime continent: interaction of large-scale motion and complex terrain. *Meteorological Monographs*, *56*, 6-1. https://doi.org/10.1175/AMSMONOGRAPHS-D-15-0011.1

Chen, S. S., & Houze, Jr. R. A., (1997). Diurnal variation and life-cycle of deep convective systems over the tropical Pacific warm pool. *Quarterly Journal of the Royal Meteorological Society*, *123*(538), 357–388. https://doi.org/10.1002/qj.49712353806

Chen, S. S., Houze, Jr., R. A., & Mapes, B. E. (1996). Multi-scale variability of deep convection in relation to large-scale circulation in TOGA COARE. *Journal of the Atmospheric Sciences, 53*(10), 1380–1409. https://doi.org/10.1175/1520-0469(1996)053<1380:MVODCI>2.0.CO;2

Chen, T.-C., & Murakami, M. (1988). The 30–50 day variation of convective activity over the western Pacific Ocean with emphasis on the northwestern region. *Monthly Weather Review, 116*(4), 892–906. https://doi.org/10.1175/1520-0493(1988)116<0892:TDVOCA>2.0.CO;2

Cohen, J. B., Ng, D. H. L., Lim, A. W. L., & Chua, X. R. (2018). Vertical distribution of aerosols over the Maritime Continent during El Niño. *Atmospheric Chemistry and Physics*, *18*(10), 7095-7108. https://doi.org/10.5194/acp-18-7095-2018

DeMott, C. A., Klingaman, N. P., & Woolnough, S. J. (2015). Atmosphere - ocean coupled processes in the Madden - Julian oscillation. *Reviews of Geophysics*, *53*(4), 1099-1154. https://doi.org/10.1002/2014RG000478

DeMott, C. A., Wolding, B. O., Maloney, E. D., & Randall, D. A. (2018). Atmospheric mechanisms for MJO decay over the Maritime Continent. *Journal of Geophysical Research: Atmospheres*, *123*(10), 5188-5204. https://doi.org/10.1029/2017JD026979

de Szoeke, S.P., Edson, J. B., Marion, J. R., Fairall, C. W., & Bariteau, L. (2015). The MJO and Air–Sea Interaction in TOGA COARE and DYNAMO. *Journal of Climate*, *28*(2), 597-622. https://doi.org/10.1175/JCLI-D-14-00477.1

Diong, J. Y., Tangang, F., & Juneng, L. (2019). An objective definition of summer monsoon onset in the northwestern maritime continent. *International Journal of Climatology, 39*(11), 4313-4328. https://doi.org/10.1002/joc.6075

Dipankar, A., Webster, S., Huang, X.-Y., & Doan, V. Q. (2019). Understanding biases in simulating the diurnal cycle of convection over the western coast of Sumatra: Comparison with pre-YMC observation campaign. *Monthly Weather Review*, *147*(5), 1615-1631. doi:10.1175/MWR-D-18-0432.1

Drushka, K., Sprintall, J., & Gille, S.T. (2010). Vertical structure of Kelvin waves in the Indonesian Throughflow exit passages. *Journal of Physical Oceanography*, *40*(9), 1965-1987. https://doi.org/10.1175/2010JPO4380.1

Duan, Y., Liu, H., Yu, W., Liu, L., Yang, G., & Liu, B. (2019). The onset of the Indonesian–Australian summer monsoon triggered by the first-branch eastward-propagating Madden–Julian oscillation. *Journal of Climate*, *32*(17), 5453-5470. https://doi.org/10.1175/JCLI-D-18-0513.1

Ffield, A., & Gordon, A.L. (1996). Tidal mixing signatures in the Indonesian Seas. *Journal of Physical Oceanography*, *26*(9), 1924-1937. https://doi.org/10.1175/1520-0485(1996)026<1924:TMSITI>2.0.CO;2

Folkins, I., Mitovski, J. R., Pierce, (2014). A simple way to improve the diurnal cycle in convective rainfall over land in climate models. *Journal of Geophysical Research: Atmospheres*, *119*(5), 2113-2130. https://doi.org/10.1002/2013JD020149

Ferranti, L., Palmer, T. N., Molteni, F., & Klinker, E. (1990). Tropical-extratropical interaction associated with the 30–60 Day oscillation and its impact on medium and extended range prediction. *Journal of the Atmospheric Sciences*, *47*(18), 2177–2199. https://doi.org/10.1175/1520-0469(1990)047<2177:TEIAWT>2.0.CO;2

Fu, X., Lee, J. Y., Wang, B., Wang,W., & Vitart, F. (2013). Intraseasonal forecasting of the Asian summer monsoon in four operational and research models. *Journal of Climate*, *26*(12), 4186–4203. https://doi.org/10.1175/JCLI-D-12-00252.1

Fu, X., Wang, B., Li, T., & McCreary, J. (2003). Coupling between northward-propagating. intraseasonal oscillations and sea surface temperature in the Indian Ocean. *Journal of the Atmospheric Sciences*, *60*(15), 1733–1753. https://doi.org/10.1175/1520-0469(2003)060<1733:CBNIOA>2.0.CO;2

Fujiwara, M., Iwasaki, S., Shimizu, A., Inai, Y., Shiotani, M., Hasebe, F., Matsui, I., Sugimoto, N., Okamoto, H., Nishi, N., Hamada, A., Sakazaki, T., & Yoneyama, K. (2009). Cirrus observations in the tropical tropopause layer over the western Pacific. *Journal of Geophysical Research - Atmospheres, 114*, D09304, https://doi.org/10.1029/2008JD011040.

Godfrey, J. S. (1996). The effect of the Indonesian throughflow on ocean circulation and heat exchange with the atmosphere: A review. *Journal of Geophysical Research: Oceans*. *101*(C5), 12217-12237. https://doi.org/10.1029/95JC03860

Gordon, A. L., (2005). Oceanography of the Indonesian seas and their throughflow. *Oceanography*, *18*(4), 14–27. https://doi.org/10.5670/oceanog.2005.01

Gordon, A. L., Huber, B. A., Metzger, E. J., Susanto, R. D., Hurlburt, H. E., & Adi, T. R. (2012). South China Sea throughflow impact on the Indonesian throughflow. *Geophysical Research Letters*, *39*(11), https://doi.org/10.1029/2012GL052021

Gordon, Arnold L., Napitu, A., Huber, Bruce A., Gruenburg, Laura K., Pujiana, K., Agustiadi, T., Kuswardani, A., Mbay, N., & Setiawan, A. (2019). Makassar strait throughflow seasonal and interannual variability: An overview. *Journal of Geophysical Research: Oceans*, *124*(6), 3724-3736.https://doi.org/10.1029/2018JC014502

Gordon, A. L., & Susanto, R. D. (2001). Banda Sea surface layer divergence. *Ocean Dynamics*, *52*(1), 2-10. https://doi.org/10.1007/s10236-001-8172-6

Hadi, T. W., Horinouchi, T., Tsuda, T., Hashiguchi, H., & Fukao, S. (2002). Sea-breeze circulation over Jakarta, Indonesia: A climatology based on boundary layer radar observations. *Monthly Weather Review*, *130*(9), 2153-2166. https://doi.org/10.1175/1520-0493(2002)130<2153:SBCOJI>2.0.CO;2

Hassim, M. E., Lane, T. P., & Grabowskil, W. W. (2016). The diurnal cycle of rainfall over New Guinea in convective-permitting WRF simulations. *Atmospheric Chemistry and Physics*, *16*(1), 161-175. https://doi.org/10.5194/acp-16-161-2016

Hendon, H. H., & Liebmann, B. (1990). The Intraseasonal (30-50 day) Oscillation of the Australian Summer Monsoon. *Journal of the Atmospheric Sciences*, *47*(24), 2909-2923. https://doi.org/10.1175/1520-0469(1990)047<2909:TIDOOT>2.0.CO;2

Hendon, H.H., Liebmann, B., Newman, M., Glick, J.D., & Schemm, J. E., (2000). Medium-range forecast errors associated with active episodes of the Madden–Julian oscillation. *Monthly Weather Review*, *128*(1), 69–86. https://doi.org/10.1175/1520-

0493(2000)128<0069:MRFEAW>2.0.CO;2

Houze Jr, R. A., Geotis, S. G., Marks Jr., F. D., & West, A. K. (1981). Winter monsoon convection in the vicinity of north Borneo. Part I: Structure and time variation of the clouds and precipitation. *Monthly Weather Review*, *109*(8), 1595–1614.

Hsu, H.-H., & Weng, C.-H. (2001). Northwestward propagation of the intraseasonal oscillation in the western North Pacific during the boreal summer: structure and mechanism. *Journal of Climate*, *14*(18), 3834–3850. https://doi.org/10.1175/1520-0442(2001)014<3834:NPOTIO>2.0.CO;2

Hsu, H.-H., & Lee, M. Y. (2005). Topographic effects on the eastward propagation and initiation of the Madden–Julian oscillation. *Journal of Climate*, *18*(6), 795–809. https://doi.org/10.1175/JCLI-3292.1

Hu, X., Sprintall, J., Yuan, D., Tranchant, B., Gaspar, P., Koch-Larrouy, A., et al. (2019). Interannual variability of the Sulawesi Sea circulation forced by Indo-Pacific planetary waves. *Journal of Geophysical Research: Oceans*, *124*(3), 1616-1633. https://doi.org/10.1029/2018JC014356

Ichikawa, H., & Yasunari, T. (2007). Propagating diurnal disturbances embedded in the Madden-Julian Oscillation. *Geophysical Research Letters*, *34*(18), L18811. https://doi.org/10.1029/2007GL030480

Inness, P. M., & Slingo, J. M. (2006). The interaction of the Madden-Julian Oscillation with the Maritime Continent in a GCM. *Quarterly Journal of the Royal Meteorological Society*, *132* (618), 1645-1667. https://doi.org/10.1256/qj.05.102

Iwasaki, S., Shibata, T., Okamoto, H., Ishimoto, H., & Kubota, H. (2012). Mixtures of stratospheric and overshooting air measured using A-Train sensors. *Journal of Geophysical Research: Atmospheres*, *117*, D12207, https://doi.org/10.1029/2011JD017402

Jiang, X.N., Li, T., & Wang, B. (2004). Structures and mechanisms of the northward propagating boreal summer intraseasonal oscillation. *Journal of Climate*, *17*(5), 1022–1039. https://doi.org/10.1175/1520-0442(2004)017<1022:SAMOTN>2.0.CO;2

Johnson, R. H., & Priegnitz, D.L. (1981). Winter monsoon convection in the vicinity of north Borneo. Part II: Effects on large-scale fields. *Monthly Weather Review*, *109*(8), 1615–1628. https://doi.org/10.1175/1520-0493(1981)109<1615:WMCITV>2.0.CO;2

Kang, I. - S., Kim, D. & Kug, J.-S. (2010). Mechanism for northward propagation of boreal summer intraseasonal oscillation: Convective momentum transport. *Geophysical Research Letters*, *37*(24), https://doi.org/10.1029/2010GL045072

Kida, S., & Richards, K. J. (2009). Seasonal sea surface temperature variability in the Indonesian Seas, *Journal of Geophysical Research: Oceans*, *114*, C06016, https://doi.org/10.1029/2008JC005150

Kida, S., & Wijffels, S.E., (2012). The impact of the Indonesian throughflow and tidal mixing on the summertime sea surface temperature in the western Indonesian seas. *Journal of Geophysical Research: Oceans*, *117*, C09007. https://doi.org/10.1029/2012JC008162

Kim, D., Sperber, K., Stern, W., Waliser, D., Kang, I.-S., Maloney, E., et a. (2009). Application of MJO simulation diagnostics to climate models. *Journal of Climate*, *22*(23), 6413-6436. https://doi.org/10.1175/2009JCLI3063.1

Koch-Larrouy, A., Lengaigne, M., Terray, P., Madec, G. & Masson, S. (2010). Tidal mixing in the Indonesian Seas and its effect on the tropical climate system. *Climate Dynamics*, *34*(6), 891-904. https://doi.org/10.1007/s00382-009-0642-4

Koplitz, S. N., Mickley,L. J., Jacob,D. J., Marlier, Miriam E., DeFries, R. S., Gaveau, David L.A., Locatelli, B.,Reid, J. S., Xian, P., & Myers.,S. S. (2018). Role of the Madden-Julian oscillation in the transport of smoke from Sumatra to the Malay Peninsula during severe non-El Niño haze events. *Journal of Geophysical Research: Atmospheres*, *123*(11), 6282-6294. https://doi.org/10.1029/2018JD028533

Kubokawa, H., Satoh, M., Suzuki, J., and Fujiwara, M. (2016). Influence of topography on temperature variations in the tropical tropopause layer. *Journal of Geophysical Research: Atmospheres*, *121*(19), 11556-11574, https://doi.org/10.1002/2016JD025569.

Kubota, H., Shirooka, R., Hamada, J.-I., & Syamsudin, F. (2011). Interannual rainfall variability over the eastern maritime continent. *Journal of the Meteorological Society of Japan*, *89A*, 111-122. https://doi.org/10.2151/jmsj.2011-A07

Lau, K.-M., & Chang, C.-P. (1987). Planetary scale aspects of winter monsoon and teleconnections. *Monsoon Meteorology*, C.-P. Chang and T. N. Krishnamurti, Eds., Oxford University Press, 161–202.

Lawrence, D. M., & Webster, P. J. (2002). The boreal summer intraseasonal oscillation:

relationship between northward and eastward movement of convection. *Journal of the Atmospheric Sciences*, *59*(9), 1593–1606. https://doi.org/10.1175/1520-0469(2002)059<1593:TBSIOR>2.0.CO;2

Lee, T., Fukumori, I., Menemenlis, D., Xing, Z., & Fu, L. L. (2002). Effects of the Indonesian throughflow on the Pacific and Indian Oceans. *Journal of Physical Oceanography*, *32*(5), 1404-1429. https://doi.org/10.1175/1520-0485(2002)032<1404:EOTITO>2.0.CO;2

Liang, L., Xue, H., & Shu, Y. (2019). The Indonesian Throughflow and the circulation in the Banda Sea: A modeling study. *Journal of Geophysical Research: Oceans*, *124*(5), 3089-3106. https://doi.org/10.1029/2018JC014926

Ling, J., Zhang, C., Joyce, R., Xie, P.-p., & Chen, G. (2019). Possible role of the diurnal cycle in land convection in the barrier effect on the MJO by the Maritime Continent. *Geophysical Research Letters*, *46*(5), 3001–3011. https://doi.org/10.1029/2019GL081962

Liu, C., & Zipser, E. (2005). Global distribution of convection penetrating the tropical tropopause. *Journal of Geophysical Research: Atmospheres*, *110*, D23104, https://doi.org/10.1029/2005JD006063

Love, B. S., Matthews, A. J., & Lister, G. M. S. (2011). The diurnal cycle of precipitation over the Maritime Continent in a high-resolution atmospheric model. *Quarterly Journal of the Royal Meteorological Society*, *137*(657), 934–947. https://doi.org/10.1002/qj.809

Mapes, B.E., Warner, T.T., & Xu, M. (2003). Diurnal patterns of rainfall in northwestern South America. Part III: Diurnal gravity waves and nocturnal convection offshore. *Monthly Weather Review*, *131*(5), 830–844. https://doi.org/10.1175/1520-0493(2003)131<0830:DPORIN>2.0.CO;2

Martin, G. M., Ringer, M. A., Pope, V. D., Jones, A., Dearden, C., & Hinton, T. J. (2006). The physical properties of the atmosphere in the new Hadley Centre Global Environmental Model (HadGEM1). Part I: Model description and global climatology. *Journal of Climate*, *19*(7), 1274-1301. https://doi.org/10.1175/JCLI3636.1

Massie, S., Gille, J., Khosravi, R., Lee, H., Kinnison, D., Francis, G., Nardi, B., et al., (2007). High resolution dynamics Limb sounder observations of polar stratospheric clouds and subvisible cirrus. *Journal of Geophysical Research: Atmospheres*, *112*, D24S31, https://doi.oeg/10.1029/2007JD008788.

Moteki, Q., Katsumata, M., Yoneyama, K., Ando, K., & Hasegawa, T. (2018). Drastic thickening of the barrier layer off the western coast of Sumatra due to the Madden-Julian Oscillation passage during the Pre-Years of the Maritime Continent campaign. *Progress in Earth and Planetary Science*, *5*, 35, https://doi.org/10.1186/s40645-018-0190-9

Mori, S., Hamada, J.-I., Tauhid, Y.I., Yamanaka, M.D., Okamoto, N., Murata, F., Sakurai, N., Hashiguchi, H. & Sribimawati, T. (2004). Diurnal land–sea rainfall peak migration over Sumatera Island, Indonesian Maritime Continent, observed by TRMM satellite and intensive rawinsonde soundings. *Monthly Weather Review*, *132*(8), 2021-2039. https://doi.org/10.1175/1520-0493(2004)132<2021:DLRPMO>2.0.CO;2

Moum, J. N., de Szoeke, S. P., Smyth, W. D., Edson, J. B., DeWitt, H. L., Moulin, et al. (2014). Air-sea interactions from westerly wind bursts during the November 2011 MJO in the Indian Ocean. *Bulletin of the American Meteorological Society*, *95*(8), 1185-1199. https://doi.org/10.1175/BAMS-D-12-00225.1

Murakami, T., & Matsumoto, J. (1994). Summer monsoon over the Asian continent and western North Pacific. *Journal of the Meteorological Society of Japan*, *72*(5), 719–745. https://doi.org/10.2151/jmsj1965.72.5_719

Napitu, A. M., Gordon, A. L., & Pujiana, K. (2015). Intraseasonal sea surface temperature variability across the Indonesian Seas. *Journal of Climate*, *28*(22), 8710-8727. https://doi.org/10.1175/JCLI-D-14-00758.1

Nasuno, T. (2019). Moisture transport over the western Maritime Continent during the 2015 and 2017 YMC Sumatra campaigns in global cloud-system-resolving simulations. *Scientific Online Letters on the Atmosphere*. *15*, 99-106. https://doi.org/10.2151/sola.2019-019

Neale, R., & Slingo, J. (2003). The Maritime Continent and its role in the global climate: A GCM study. *Journal of Climate*, *16*(5), 834–848. https://doi.org/10.1175/1520-0442(2003)016<0834:TMCAIR>2.0.CO;2

Nitta, Ts., & Sekine, S. (1994). Diurnal variation of convective activity over the tropical western Pacific. *Journal of the Meteorological Society of Japan*, *72*(5), 627-641. https://doi.org/10.2151/jmsj1965.72.5_627

Okamoto, N., Yamanaka, M. D.,Ogino, S.-Y., Hashiguchi, H.,Nishi, N., Sribimawati ,T., & Numaguti, A. (2003). Seasonal variation of tropospheric wind over Indonesia: Comparison between collected operational rawinsonde data and NCEP reanalysis for 1992-99. *Journal of the Meteorological Society of Japan*, *81*(4), 829-850. https://doi.org/10.2151/jmsj.81.829

Pang, B., Lu, R., & Ling, J. (2018). Impact of cold surges on the Madden-Julian oscillation propagation over the Maritime Continent. *Atmospheric Science Letters*, *19*(10), e854. https://doi.org/10.1002/asl.854

Peatman, S. C., Matthews, A. J., & Stevens, D.P. (2014). Propagation of the Madden–Julian oscillation through the Maritime Continent and scale interaction with the diurnal cycle of precipitation. *Quarterly Journal of the Royal Meteorological Society*, *140(*680), 814–825. https://doi.org/10.1002/qj.2161

Porson, A. N., Hagelin, S., Boyd, D. F., Roberts, N. M., North, R., Webster, S., & Lo, J. C. F. (2019). Extreme rainfall sensitivity in convective - scale ensemble modelling over Singapore. *Quarterly Journal of the Royal Meteorological Society*, *145*(724), https://doi.org/10.1002/qj.3601

Pujiana, K., Gordon, A. L. & Sprintall, J. (2013). Intraseasonal Kelvin waves in Makassar Strait. *Journal of Geophysical Research: Oceans*, *118*(4), 2023-2034. https://doi.org/10.1002/jgrc.20069

Qu, T., Du, Y., & Sasaki, H. (2006). South China Sea Throughflow: A heat and freshwater conveyor. *Geophysical Research Letters*, *33*(23). L23617. https://doi.org/10.1029/2006GL028350

Qu, T., Du, Y., Strachan, J., Meyers, G., & Slingo, J. (2005). Sea surface temperature and its variability in the Indonesian region. *Oceanography*, *18*(4), 50–61. https://doi.org/10.5670/oceanog.2005.05

Rauniyar, S. P., and K. J. E. Walsh, 2011: Scale interaction of the diurnal cycle of rainfall over the Maritime Continent and Australia: Influence of the MJO. *Journal of Climate*, *24*(2), 325–348. https://doi.org/10.1175/2010JCLI3673.1

Reid, J. S., Xian, P., Hyer, E. J., Flatau, M. K., Ramirez, E. M., Turk, F. J., et al. (2012). Multi-scale meteorological conceptual analysis of observed active fire hotspot activity and smoke optical depth in the Maritime Continent. *Atmospheric Chemistry and Physics*, *12*(4), 2117–2147. https://doi.org/10.5194/acp-12-2117-2012

Rui, H., & Wang, B. (1990). Development characteristics and dynamic structure of tropical intraseasonal convection anomalies. *Journal of the Atmospheric Sciences*, *47*(3), 357–379. https://doi.org/10.1175/1520-0469(1990)047<0357:DCADSO>2.0.CO;2

Ruppert Jr, J. H., & Zhang, F. (2019). Diurnal forcing and phase locking of gravity waves in the

Maritime Continent. *Journal of the Atmospheric Sciences*, *76*(9), 2815-2835. https://doi.org/10.1175/JAS-D-19-0061.1

Sakurai, N., Murata, F., Yamanaka, M. D., Hashiguchi, H.,Mori, S., Hamada, J.-I., Tauhid, Y.-I., Sribimawati, T., & Suhardi, B. (2005). Diurnal cycle of migration of convective cloud systems over Sumatera Island. *Journal of the Meteorological Society of Japan*, *83*(5), 835-850. https://doi.org/10.2151/jmsj.83.835

Salinas, S. V., Chew, B. N., Miettinen, J., Campbell, J. R., Welton, E. J., Reid, J. S., Yu, L. E., &Liew, S. C. (2013). Physical and optical characteristics of the October 2010 haze event over Singapore: a photometric and lidar analysis. *Atmospheric Research*, 122, 555-570. https://doi.org/10.1016/j.atmosres.2012.05.021

Sato, T., Miura, H., Satoh, M., Takayabu, Y. N., &Wang, Y. (2009). Diurnal cycle of precipitation in the tropics simulated in a global cloud-resolving model. *Journal of Climate*, *22*(18), 4809-4826. https://doi.org/10.1175/2009JCLI2890.1

Seo, K.-H., Wang, W., Gottschalck, J., Zhang, Q., Schemm, J.-K. E., Higgins, W. R., & Kumar, A. (2009). Evaluation of MJO forecast skill from several statistical and dynamical forecast models. *Journal of Climate*, *22*(9), 2372–2388. https://doi.org/10.1175/2008JCLI2421.1

Shindell, D.T. (2001). Climate and ozone response to increased stratospheric water vapor. *Geophysical Research Letters*, *28*(8), 1551-1554. https://doi.org/10.1029/1999GL011197

Shinoda, T., Han, W., Jensen, T. G., Zamudio, L., Metzger, E. J., & Lien, R.-C. (2016). Impact of the Madden-Julian oscillation on the Indonesian Throughflow in Makassar Strait. *Journal of Climate*, *29*(17), 6085-6108. https://doi.org/10.1175/JCLI-D-15-0711.1

Shpund, J., Khain, A., & Rosenfeld, D. (2019). Effects of sea spray on microphysics and intensity of deep convective clouds under strong winds. *Journal of Geophysical Research: Atmospheres*. *124*(16), 9484-9509. https://doi.org/10.1029/2018JD029893

Sobel, A. H., Maloney, E. D., Bellon, G., & Frierson, D. M. (2010). Surface fluxes and tropical intraseasonal variability: A reassessment. *Journal of Advances in Modeling Earth Systems*, *2*(1), https://doi.org/10.3894/JAMES.2010.2.2

Solomon, S., Rosenlof, K. H., Portmann, R. W., Daniel, J. S., Davis, S. M., Sanford, T. J., & Plattner, G. K. (2010). Contributions of stratospheric water vapor to decadal changes in the rate of global warming. *Science*, *327*(5970), 1219-1223. https://doi.org/10.1126/science.1182488

Sprintall, J., Gordon, A. L., Koch-Larrouy, A., Lee, T., Potemra, J.T., Pujiana, K., & Wijffels, S. E. (2014). The Indonesian Seas and their impact on the coupled ocean-climate system. *Nature Geoscience*, *7*, 487-492. https://doi.org/10.1038/ngeo2188.

Susanto, R. D., Gordon, A. L., & Zheng, Q. 2001: Upwelling along the coast of Java and Sumatra and its relation to ENSO. *Geophysical Research Letters*, *28*(8), 1599-1602. https://doi.org/10.1029/2000GL011844

Suzuki, J., Fujiwara, M., Nishizawa, T., Shirooka, R., Yoneyama, K., Katsumata, M., Matsui, I., & Sugimoto, N. (2013). The occurrence of cirrus clouds associated with eastward propagating equatorial n = 0 inertio-gravity and Kelvin waves in November 2011 during the CINDY2011/DYNAMO campaign. *Journal of Geophysical Research: Atmospheres, 118*(23), 12941-12947. https://doi.org/10.1002/2013JD019960

Suzuki, K., Nakagawa, K., Kawano, T., Mori, S., Katsumata, M., Syamsudin, F., & Yoneyama, K. (2018). Videosonde-observed graupel in different rain systems during Pre-YMC project. *Scientific Online Letters on the Atmosphere*, *14*, 148-152. https://doi.org/10.2151/sola.2018-026

Syamsudin, F., Taniguchi, N., Zhang, C., Hanifa, A. D., Li, G., Chen, M., Mutsuda, H., Zhu, Z.-N. Zhu, Zhu, X.-H. , Nagai, T., and Kaneko, A. (2019). Observing internal solitary waves in the Lombok Strait by coastal acoustic tomography. *Geophysical Research Letters*, *46*(17-18), 10475-10483. https://doi.org/10.1029/2019GL084595

Takasuka, D., Satoh, M., & Yokoi, S. (2019). Observational evidence of mixed Rossby-Gravity waves as a driving force for the MJO convective initiation and propagation. *Geophysical Research Letters*, *46*(10), 5546-5555. https://doi.org/10.1029/2019GL083108

Takayabu, Y. N., & Kimoto, M. (2008). Diurnal variations in rainfall simulated using the CCSR/NIES/FRCGC AGCM and dependence on cumulus schemes. *Journal of the Meteorological Society of Japan*, *86A*, 163-173. https://doi.org/10.2151/jmsj.86A.163

Tian, B., Waliser, D. E., & Fetzer, E. J. (2006). Modulation of the diurnal cycle of tropical deep convective clouds by the MJO. *Geophysical Research Letters*, *33*(20), L20704, doi:10.1029/2006GL027752.

Tsuda, T., Nishida, M., Rocken, C., & Ware, R. H. (2000). A global morphology of gravity wave activity in the stratosphere revealed by the GPS occultation data (GPS/MET). *Journal of*

Geophysical Research: Atmospheres, *105*(D6), 7257–7273. https://doi.org/10.1029/1999JD901005

Virts, K. S., Wallace, J. M., Hutchins, M. L., & Holzworth, R. H. (2013). Diurnal lightning variability over the Maritime Continent: Impact of low-level winds, cloudiness, and the MJO. *Journal of the Atmospheric Sciences*, *70*(10), 3128-3146. https://doi.org/10.1175/JAS-D-13-021.1

Wang, B. (2006). The Asian Monsoon. Springer Praxis Publishing, 787pp.

Wang, B., Huang, F., Wu, Z., Yang, J., Fu, X., Kikuchi, K. (2009). Multi-scale variability of the South China Sea monsoon: A review. *Dynamics of Atmospheres and Oceans*, *47*(1-3), 15–37. https://doi.org/10.1016/j.dynatmoce.2008.09.004

Wang, D., Liu, Q., Huang, R. X., Du, Y., & Qu, T. (2006). Interannual variability of the South China Sea throughflow inferred from wind data and an ocean data assimilation product. *Geophysical Research Letters*, *33*(14). L14605. https://doi.org/10.1029/2006GL026316

Wang, S., Sobel, A. H., Tippett, M. K., & Vitart, F. (2019). Prediction and predictability of tropical intraseasonal convection: seasonal dependence and the Maritime Continent prediction barrier. *Climate Dynamics*, *52*(9-10), 6015-6031. https://doi.org/10.1007/s00382-018-4492-9

Weaver, S. J., Wang, W., Chen, M., & Kumar, A. (2011). Representation of MJO variability in the NCEP climate forecast system. *Journal of Climate*, *24*(17), 4676-4694. https://doi.org/10.1175/2011JCLI4188.1

Webster, P. J., & Lukas, R. (1992). TOGA COARE: The Coupled Ocean-Atmosphere Response Experiment. *Bulletin of the American Meteorological Society*, *73*(9), 1377-1416. https://doi.org/10.1175/1520-0477(1992)073<1377:TCTCOR>2.0.CO;2

Widiyatmi, I., H. Hashiguchi, H., Fukao, S., Yamanaka, M. D., Ogino, S.-Y., Gage, K. S., Harijono, S. W. B., Diharto S., & Djojodihardjo, H. (2001). Examination of 3-6 day disturbances over equatorial Indonesia based on boundary layer radar observations during 1996-1999 at Serpong, Biak and Bukittinggi. *Journal of the Meteorological Society of Japan*, *79*(1B), 317-331. https://doi.org/10.2151/jmsj.79.317

Wu, C. H., and Hsu, H. H. (2009). Topographic influence on the MJO in the Maritime Continent. *Journal of Climate*, *22*(20), 5433–5448. https://doi.org/10.1175/2009JCLI2825.1

Wu, P., Mori, S., & Syamsudin, F. (2018). Land-sea surface air temperature contrast on the western coast of Sumatra Island during an active phase of the Madden-Julian oscillation. *Progress in Earth and Planetary Science*, *5*, 4, doi:10.1186/s40645-017-0160-7.

Yamanaka, M.D., Ogino, S.-Y., Wu, P.-M., Hamada, J.-I., Mori, S., Matsumoto, J. & Syamsudin, F. (2018). Maritime continent coastlines controlling Earth's climate. *Progress in Earth and Planetary Science*, *5*, 21. https://doi.org/10.1186/s40645-018-0174-9

Yang, G.-Y., & Slingo, J. (2001). The diurnal cycle in the Tropics. *Monthly Weather Review*, *129*(4), 784–801. https://doi.org/10.1175/1520-0493(2001)129<0784:TDCITT>2.0.CO;2

Yoden, S., Otsuka, S., Joko Trilaksono, N. and Wahyu Hadi, T. (2017). Recent progress in research on the Maritime Continent monsoon. In C. P. Chang et al. (Eds.), *The Global Monsoon System: Research and Forecast* (pp. 63-77).

Yokoi, S., Mori, S., Katsumata, M., Geng, B., Yasunaga, K., Syamsudin, F., Nurhayati, & Yoneyama, K. (2017). Diurnal cycle of precipitation observed in the western coastal area of Sumatra Island: Offshore preconditioning by gravity waves. *Monthly Weather Review*, *145*(9), 3745-3761. https://doi.org/10.1175/MWR-D-16-0468.1

Yokoi, S., Mori, S., Syamsudin, F., Haryoko, U., & Geng, B. (2019). Environmental conditions for nighttime offshore-ward migration of precipitation area as revealed by in-situ observation off Sumatra Island. *Monthly Weather Review*, *147*(9), 3391-3407. https://doi.org/10.1175/MWR-D-18-0412.1

Yoneyama, K., Zhang, C. & Long, C. N. (2013). Tracking pulses of the Madden-Julian oscillation. *Bulletin of the American Meteorological Society*, *94*(12), 1871-1891. https://doi.org/10.1175/2008BAMS2519.1

Zhang, C., & Ling, J. (2017). Barrier Effect of the Indo-Pacific Maritime Continent on the MJO: Perspectives from Tracking MJO Precipitation. *Journal of Climate*, *30*(9), 3439-3459. https://doi.org/10.1175/JCLI-D-16-0614.1