

Paroxysmal atrial fibrillation associated with a moderate form of COVID-19 in a middle-aged man with low cardiovascular risk factor: more still needs to be done in this topic

Mazou Temgoua¹, Sylvain Chanseaume², hilic Enver², Kane Karamoko², Joel Tochie³, Beyina Gislain², Lise Camus², Alexandra Chanseaume², Alexandru Mischie², Khaled Benfreha², Nouhoun Diallo², and Romain Eschalier⁴

¹University of Clermont Auvergne Faculty of Dentistry

²Hospital Centre Montlucon

³University of Yaounde I

⁴Universite Clermont Auvergne

November 28, 2020

Abstract

Cardiac arrhythmia is a major complication of COVID-19. This occurs often in patients with severe COVID-19 with pre-existing cardiovascular diseases. We report an unusual case of paroxysmal atrial fibrillation in an adult male with low cardiovascular risk factor who presented with a moderate form of COVID-19.

Hosted file

Final_AF and COVID-19 case report.pdf available at <https://authorea.com/users/379573/articles/495765-paroxysmal-atrial-fibrillation-associated-with-a-moderate-form-of-covid-19-in-a-middle-aged-man-with-low-cardiovascular-risk-factor-more-still-needs-to-be-done-in-this-topic>



