

2-Ruled hypersurfaces in Minkowski 4-space and their constructions via octonions

Ameth Ndiaye¹ and Zehra Özdemir²

¹Université Cheikh Anta Diop de Dakar

²Amasya University

May 30, 2022

Abstract

In this paper, we define three types of 2-Ruled hypersurfaces in the Minkowski 4-space \mathbb{E}^4_1 . We obtain Gaussian and mean curvatures of the 2-ruled hypersurfaces of type-1 and type-2, and some characterizations about its minimality. We also deal with the first Laplace-Beltrami operators of these types of 2-Ruled hypersurfaces in \mathbb{E}^4_1 . Moreover, the importance of this paper is that the definition of these surfaces by using the octonions in \mathbb{E}^4_1 . Thus, this is a new idea and make the paper original. We give an example of 2-ruled hypersurface constructed by octonion and we visualize the projections of the images with MAPLE program. Furthermore, the optical fiber can be defined as a one-dimensional object embedded in the 4-dimensional Minkowski space \mathbb{E}^4_1 . Thus, as a discussion, we investigate the geometric evolution of a linearly polarized light wave along an optical fiber by means of the 2-ruled hypersurfaces in a four-dimensional Minkowski space

Hosted file

2ruledhypersurfaceVersion soumise.pdf available at <https://authorea.com/users/485841/articles/571064-2-ruled-hypersurfaces-in-minkowski-4-space-and-their-constructions-via-octonions>