

Changes in Conception Rates, Not in Pregnancy-Related Behavior, Likely Caused Decline in Pre-Term Births in Developed Countries During the First Year of the COVID-19 Pandemic

Peter Fallesen¹, Moritz Oberndorfer², and Marco Cozzani³

¹Stockholms Universitet

²Medizinische Universität Wien Zentrum für Public Health

³Università degli Studi di Firenze Dipartimento di Statistica Informatica Applicazioni
Giuseppe Parenti

March 9, 2023

Changes in Conception Rates, Not in Pregnancy-Related Behavior, Likely Caused Decline in Pre-Term Births in Developed Countries During the First Year of the COVID-19 Pandemic

11* Corresponding author: Peter Fallesen, peter.fallesen@sofi.su.se, Swedish Institute for Social Research, Stockholm University, Stockholm 106 91, Sweden.

Peter Fallesen, PhD

Swedish Institute for Social Research, Stockholm University, Stockholm 106 91, Sweden ROCKWOOL Foundation, Ny Kongensgade 6, 1472 Copenhagen C, Denmark

Moritz Oberndorfer, MSc

Institute of Social Medicine, Center for Public Health, Medical University of Vienna, Kinderspitalgasse 15/1. Stock, A-1090, Vienna, Austria; MRC/CSO Social and Public Health Sciences Unit, University of Glasgow, Berkeley Square, 99 Berkeley Street, Glasgow, G3 7HR, UK

Marco Cozzani, PhD

Population and Society Research Unit, Department of Statistics, Computer Science, Application “Giuseppe Parenti”(DiSIA), University of Florence, Viale Giovanni Battista Morgagni 59, 50134 Firenze, Italy

Running head: Conception Rates Caused Decline in Pre-Term Births During the COVID-19 Pandemic

A series of studies, including recent work published in BJOG by Rusconi et al.¹, has highlighted the surprising fact that several measures of birth outcomes improved during the COVID-19 pandemic (see Yang et al.² for recent meta study). This growing body of work has generated important knowledge on the children conceived and born during the pandemic, and how they as a cohort may differ from those born before and after the pandemic. Yet, we believe that this strand of literature has overlooked key demographic drivers behind the changes in birth outcomes observed during the pandemic. In this commentary we describe why an improvement in birth outcomes observed during the pandemic is likely caused by a demographic artifact driven by decline in conception rate and changing selection into conception in the months following the onset of the pandemic instead of changing behaviors among pregnant women during the pandemic.

In their article, Rusconi et al. find that rates of pre-term births declined drastically in September-November 2020 relative to trend, and they ask researchers to consider what lessons the pandemic may teach about the “possible importance of lifestyle and environmental aspects related to the occurrence of pregnancies ending

preterm”^{1 p. 282}. Others have noted the non-causal nature of these studies³, which should be kept in mind for future research to cover. We, however, suggest a more fundamental aspect of the pandemic’s effect on pregnancies has been overlooked broadly in the literature, which can account for most, if not all, of the decline found by Rusconi et al. and many other studies. The cause of decline in pre-term births and other adverse birth outcomes should not necessarily be sought in changing behavior or services during pregnancy, but rather in changes in how many and who conceived during the early stages of the pandemic.^{4,5}

Figure 1 shows the monthly crude birth rate (CBR; number of births per 1,000 population) for Italy for 2020 and 2021 measured relative to the 2019 monthly CBR. As clearly seen from the figure, number of births declined drastically relative to 2019 year starting September 2020 and until January 2021, with the CBR in January 2021 being 14% lower than what was observed in January 2019, which is the equivalent of 8.4 fewer births per 100,000 population that month. Rapidly declining birth rates are mostly caused by rapidly declining conception rates and are unlikely to be only explained by potential changes in pregnancy loss, abortion, maternal emigration, and stillbirth rates. Mechanically, a decline in conceptions will manifest first as a decline in preterm births 7-8 months after the number of conceptions dropped.⁶ This is because (fewer) pre-term babies which were conceived after the pandemic onset are born at the same time as full-term babies conceived before the COVID-19 pandemic. Thus, the decline in pre-term rates can be seen as a demographic artifact caused by declining conceptions without any change to pregnancy-related behavior occurring. In recent work, we have shown that a similar trend in fertility can be observed in Spain for the same period.^{4,7} In this work, we also show a similar decline in preterm births rates as observed in Italy by Rusconi et al.⁴ Further, we demonstrate how this decline in preterm births can occur mechanically in the case of a rapid decline in conceptions right after the onset of the COVID-19 pandemic, which in turn leads to the observed lower birth rates beginning by September (fewer pre-term births) and carrying out all through to January 2021 (fewer at term births).

[Figure 1 about here.]

Further, we also analyze changes in who conceive. In the Spanish case the data allows us to examine which groups see the largest conception declines. In relative terms, the two groups that see the largest decline are women at the beginning and end of the reproductive age—the two groups also at highest risk of giving birth to preterm babies because of, respectively, precarious and unplanned pregnancies occurring among the young⁸ and higher rates of complications and medically assisted reproductive (MAR) conceptions among the older women.⁹ During the first COVID-lockdown young people’s risk for precarious and unplanned pregnancies declined drastically due to stay-at-home orders, and MAR clinics shut down services temporarily. Moreover, the COVID-19 pandemic has likely led to changes in the composition of parents in regards to other characteristics that are known to be associated with preterm birth (and other health outcomes during pregnancy and at birth).⁵ For example, initial evidence is emerging that babies conceived in the Global North during the pandemic have, on average, more socioeconomically advantaged parents than babies conceived before the COVID-19 pandemic.^{5,10} More advantaged parental socioeconomic circumstances, in turn, have consistently been shown to be associated with a lower probability of preterm birth.¹¹ Pandemic-induced compositional shifts in parental characteristics provide us with another plausible explanation for improved birth outcomes during the COVID-19 pandemic in the Global North, whereas the situation in countries with less universal access to contraceptive measures may have seen different developments, as suggest by, e.g. Pesando and Abufhele¹² for Chile.

To conclude, the COVID-19 pandemic may have generated a pure demographic artifact driven by a population wide decline in conceptions discussed above as well as heterogeneous conceptive responses across the affected populations. These two differential effects of the COVID-19 pandemic may also explain why babies conceived during the pandemic show improved birth outcomes compared with babies conceived before the pandemic. When interpreting the COVID-19 consequences on newborns health we thus advice to bear in mind to disentangle the direct effect of in utero exposure to the COVID-19 pandemic and the consequences of lockdown measures on birth outcomes from a demographic artifact and pandemic-induced changes in composition of who becomes pregnant. Importantly, the latter determinants and the former ones may have

different clinical implication for the population of newborn and their long-term development trajectories.

Acknowledgements

Peter Fallesen was a visiting fellow at Department of Political and Social Sciences, European University Institute during the writing of this commentary.

Disclosure of Interests

The authors have no interest to declare.

Contribution to Authorship

PF, MO, and MC conceived, planned, carried out, analyzed, and wrote up the manuscript. All authors approved final version.

Details of Ethics Approval

Only publicly available secondary data used for analysis so exempt for ethical approval.

Funding

PF's work was supported by ROCKWOOL Foundation (1227) and the Swedish Research Council for Health, Working Life and Welfare (2016–07099). MO's work was supported by the Medical Research Council (MC_UU_00022/2) and the Scottish Government Chief Scientist Office (SPHSU17). MC's work was supported by the Italian Ministry of the University and Research (PE8- B83C22004800006).

References

1. Rusconi F, Puglia M, Pacifici M, Brescianini S, Gagliardi L, Nannavecchia AM, et al. Pregnancy outcomes in Italy during COVID-19 pandemic: A population-based cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2023;130(3):276–84.
2. Yang J, D'Souza R, Kharrat A, Fell DB, Snelgrove JW, Shah PS. COVID-19 pandemic and population-level pregnancy and neonatal outcomes in general population: A living systematic review and meta-analysis (Update#2: November 20, 2021). *Acta Obstetrica et Gynecologica Scandinavica*. 2022;101(3):273–92.
3. Sisti G, Joseph JT. Reduction in preterm birth rate during the COVID-19 pandemic: Analysing causation. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2023;130(3):285–285.
4. Cozzani M, Fallesen P, Passaretta G, Härkönen J, Bernardi F. The Consequences of the COVID-19 Pandemic for Fertility and Birth Outcomes: Evidence from Spanish Birth Registers. *Population and Development Review*. 2023;Early View.
5. Oberndorfer M, Dundas R, Leyland AH, Pearce A. The LoCo (Lockdown Cohort)-effect: why the LoCo may have better life prospects than previous and subsequent birth cohorts. *European Journal of Public Health*. 2022 Jun 1;32(3):339–40.
6. Currie J, Schwandt H. Within-mother analysis of seasonal patterns in health at birth. *Proceedings of the National Academy of Sciences*. 2013 Jul 23;110(30):12265–70.
7. Fallesen P, Cozzani M. Partial Fertility Recuperation in Spain Two Years After the Onset of the COVID-19 Pandemic [Internet]. *SocArXiv*; 2023 [cited 2023 Jan 12]. Available from: <https://osf.io/preprints/socarxiv/2m5pr/>
8. Gipson JD, Koenig MA, Hindin MJ. The Effects of Unintended Pregnancy on Infant, Child, and Parental Health: A Review of the Literature. *Studies in Family Planning*. 2008;39(1):18–38.
9. Goisis A, Remes H, Martikainen P, Klemetti R, Myrskylä M. Medically assisted reproduction and birth outcomes: a within-family analysis using Finnish population registers. *The Lancet*. 2019 Mar 23;393(10177):1225–32.

10. Lappegård T, Kornstad T, Dommermuth L, Kristensen AP. Understanding the Positive Effects of the COVID-19 Pandemic on Women's Fertility in Norway. *Population and Development Review*. 2023;Early View.
11. Thomson K, Moffat M, Arisa O, Jesurasa A, Richmond C, Odeniyi A, et al. Socioeconomic inequalities and adverse pregnancy outcomes in the UK and Republic of Ireland: a systematic review and meta-analysis. *BMJ Open*. 2021 Mar 1;11(3):e042753.
12. Pesando LM, Abufhele A. Declining Quantity and Quality of Births in Chile amidst the COVID-19 Pandemic. *Population and Development Review*. 2023;Early View.

Figure 1. Monthly Crude Birth Rate for Italy 2020-2021 Measured Relatively to the Monthly Crude Birth Rate in 2019.

Source: ISTAT.

