

Table 2: ECPR survival to discharge by arrest etiology, origin, and rhythm

	Overall	Survivor	Non-Survivor	p
N	47	12	35	-
Arrest Etiology				
ACS (%)	17 (36.2)	5 (41.7)	12 (34.3)	0.733
Pulmonary Embolism (%)	7 (14.9)	4 (33.3)	3 (8.6)	0.060
Nonischemic Cardiomyopathy (%)	6 (12.8)	1 (8.3)	5 (14.3)	1.000
Other (%)	6 (12.8)	0 (0.0)	6 (17.1)	0.315
Primary Arrythmia (%)	5 (10.6)	1 (8.3)	4 (11.4)	1.000
Ischemic Cardiomyopathy (%)	4 (8.5)	0 (0.0)	4 (11.4)	0.560
Overdose	2 (4.3)	1 (2.9)	1 (8.3)	0.450
Arrest Rhythm				
PEA (%)	25 (53.2)	5 (41.7)	20 (57.1)	0.505
VT/VF (%)	22 (46.8)	7 (58.3)	15 (42.9)	0.505
Arrest Origin				
Cardiac (%)	34 (72.3)	7 (58.3)	27 (77.1)	0.269
Non-Cardiac (%)	13 (27.7)	5 (41.7)	8 (22.9)	0.269
Origin and Rhythm				
Cardiac and VT/VF (%)	20 (42.6)	6 (50.0)	14 (40.0)	0.737
Cardiac and PEA (%)	14 (29.8)	1 (8.3)	13 (37.1)	0.077
Non-Cardiac and VT/VF (%)	2 (4.3)	1 (8.3)	1 (2.9)	0.450
Non-Cardiac and PEA (%)	11 (23.4)	4 (33.3)	7 (20.0)	0.435