

Table 2: One-year and three-year relative survival by type of cancer, and p-value comparing 1 and 3-year relative survival for 2010-2014

	Relative survival (95% CI)				
Type of cancer	Kampala 2005-2009*		Kampala 2010-2014		
	1-year	3-years	1-year	3-years	P
ALL	-	-	57 (32, 76)	46 (23, 67)	0.49
HL	-	-	94 (61, 99)	86 (52, 97)	0.48
NHL	-	-	58 (31, 77)	42 (17, 65)	0.37
BL	58 (41, 72)	44 (27, 60)	59 (39, 74)	54 (33, 71)	0.69
Retinoblastoma	43 (16, 69)	N.A.	63 (38, 81)	57 (31, 76)	0.67
Wilms tumour	41 (18, 63)	17 (3, 41)	55 (37, 70)	30 (15, 47)	0.04
Osteosarcoma	-	-	81 (43, 95)	49 (12, 79)	0.15
Rhabdomyosarcoma	-	-	60 (34, 79)	54 (28, 74)	0.69
Kaposi sarcoma	54 (32, 71)	36 (17, 56)	59 (43, 72)	34 (20, 49)	0.02

* Source: Joko-Fru et al (2018) – reference (1)

Abbreviations: ALL – acute lymphoblastic leukaemia; BL – Burkitt lymphoma; HL – Hodgkin lymphoma; NHL – non-Hodgkin lymphoma;.

Note: Brackets indicate 95% confidence interval.