

Table 1. Diseases of patients with slgMD at presentation

Presentation	Number (n)/Frequency (%)
Pneumonia	9 (26,4 %)
Skin disease	6 (18,1%)
Atypic facial features	5 (15,1%)
Recurrent upper respiratory tract infections	4 (11 %)
Incidental (Asymptomatic)	4 (11 %)
Meningitis	2 (5,8 %)
Lymphadenopathy	2 (5,8 %)
Gastrointestinal disease	2 (5,8 %)
Allergy	2 (5,8 %)
Family history	2 (5,8 %)
Malignancy	1 (2,9%)

Disease state	Number n)
	/Frequency (%)
Asymptomatic	8 (23,5%)
Skin disease	8 (23,5%)
Autoimmune disease	6 (18,1%)
Atopy	5 (15,1%)
Chromosomal abnormality	4 (12,1%)
Malignancy	3 (8,8%)
Bronchiectasis	2 (5,8%)
Cohen Syndrome	1 (2,9%)
CHARGE Syndrome	1 (2,9%)
Osteopetrosis	1 (2,9%)
Crohn disease	1 (2,9%)
Immune thrombocytopenic purpura	1 (2,9%)
Hypertension	1 (2,9%)
Ambigus genitalia	1 (2,9%)
Guillain Barre Syndrome	1 (2,9%)

Table 2. Diseases associated with slgMD during follow-up

Table 3. Infectious diseases associated with sIgMD during follow-up

	Number	Frequency
Upper respiratory tract infections	20	60,6%
Pneumonia	12	36,3%
Sinusitis	12	36,3%
Lymphadenopathy	9	27,2%
Gastrointestinal infection	6	18,1%
Meningitis	3	8,8%
Sepsis	2	5,8%
Abscess	1	2,9%
Other infections	7	20,5%