

Table 1: Demography

Variable	Patients n (%)
Age (years)	
0 - 1	1 (2,5%)
1 - 2	15 (35,5%)
2 - 3	5 (12,5%)
3 - 4	2 (5%)
4 - 5	2 (5%)
5 - 6	3 (7,5%)
6 - 7	2 (3,5%)
7 - 8	2 (5%)
8 - 9	1 (2,5%)
9 - 15	4 (10%)
15 - 18	3 (7,5%)
Sex	
Male	22 (55%)
Female	18 (45%)

Table 2: AFB location and nature

Variable	Patients n (%)
Location	
Larynx	3 (7,5%)
Trachea	7 (17,5%)
Right main bronchus	14 (35%)
Left main bronchus	12 (30%)
Intermedium bronchus	3 (7,5%)
Left lower lobe	1 (2,5%)
Nature	
Organic	16 (40%)
Inorganic	22 (55%)
Unknown	2 (5%)

Table 3: Procedure

Variable	Patients n (%)
Anesthesia	
General	36 (90%)
Sedation	4 (10)
Bronchoscopy	
Flexible	35 (87,5%)
Rigid	3 (7,5%)
Flexible + rigid	1 (2,5%)
<u>Laryngoscopy</u>	1 (2,5%)
Ancillary material	
Basket	19 (47,5%)
Rat tooth forceps	14 (35%)
Forceps	1 (2,5%)
Rigid forceps	4 (10%)
Unknown	2 (5%)