

DPb-MOPSO: A Novel Dynamic Pareto bi-level Multi-Objective Particle Swarm Optimization Algorithm

Ahlem Aboud *Member, IEEE*, Nizar Rokbani, Raja Fdhila, Abdulrahman M. Qahtani, Omar Almutiry, Habib Dhahri, Amir Hussain and Adel M. Alimi *Senior Member, IEEE*

Abstract—Particle swarm optimization system based on the distributed architecture has shown its efficiency for static optimization and has not been studied to solve dynamic multi-objective problems (DMOPs). When solving DMOP, tracking the best solutions over time and ensuring good exploitation and exploration are the main challenging tasks. This study proposes a novel Dynamic Pareto bi-level Multi-Objective Particle Swarm Optimization (DPb-MOPSO) algorithm including two parallel optimization levels. At the first level, all solutions are managed in a single search space. When a dynamic change is successfully detected, the Pareto ranking operator is used to enable a multi-swarm subdivisions and processing which drives the second level of enhanced exploitation. A dynamic handling strategy based on random detectors is used to track the changes of the objective function due to time-varying parameters. A response strategy consisting in re-evaluate all unimproved solutions and replacing them with newly generated ones is also implemented. Inverted generational distance, mean inverted generational distance, and hypervolume difference metrics are used to assess the DPb-MOPSO performances. All quantitative results are analyzed using Friedman's analysis while the Lyapunov theorem is used for stability analysis. Compared with several multi-objective evolutionary algorithms, the DPb-MOPSO is robust in solving 21 complex problems over a range of changes in both the Pareto optimal set and Pareto optimal front. For 13 UDF and ZJZ functions, DPb-MOPSO can solve 8/13 and 7/13 on IGD and HVD with moderate changes. For the 8 FDA and dMOP benchmarks, DPb-MOPSO was able to resolve 4/8 with severe change on MIGD, and 5/8 for moderate and slight changes. However, for the 3 kind of environmental changes, DPb-MOPSO assumes 4/8 of the solving function on IGD and HVD.

Index Terms—Dynamic Multi-Objective Optimization, Dynamic Particle Swarm Optimization, Dynamic Problems, Detectors, Dynamic Response, Friedman Analysis of Variance, Lyapunov Theorem.

I. INTRODUCTION

DYNAMIC Multi-Objective Optimization (DMOO) approaches target to solve Dynamic Multi-Objective Problems (DMOPs), which may have two or three conflicting functions characterized by time-varying objectives, parameters, and/or constraints. Farina *et al.*[1] categorized DMOPs into four types. For type I, the Pareto Optimal Set (POS) changes, and the Pareto Optimal Front (POF) remains unchanged, while for type II both POS and POF change over time. However, the

POF changes, and the POS remains constant for DMOPs in type III. Finally, for type IV, and despite the environmental changes both POS and POF keep unchanged. Multi-Objective Evolutionary Algorithms (MOEAs) and bio-inspired intelligent techniques like the Genetic Algorithm (GA) [2], and the Particle Swarm Optimization (PSO) method [3]– [5] has being investigated to manage the evolutionary stagnation issues for static single/multi-objective optimization. A set MOEAs has being established as suitable for dynamic multi-objective optimization in [6] and [8], where proposals were able to find the best compromise solutions set on POS and POF, while tracking environmental changes.

Several PSO approaches has been proposed for dynamic single-objective optimization problems (DSOPs) [9]. It should be noted, that the standard PSO method [3] is not very efficient with DMOP because of its limited capacities in addressing the dual issue of the outdated memory and the loss of diversity. A well-known mechanism to overcome this problem consists in using an amount of randomly selected outdated population to re-evaluate the values of objectives and constraints. In addition, reinitialization and hypermutation have been explicitly used to ensure good convergence and diversity in the dynamic search space [10], [11]. Nonetheless, genetic and population-based strategies on distributed methods are considered for static optimization [12] and have not yet been processed for DMOPs. Besides, many of the transfer learning-based methods [13] proposed for DMOPs are time-consuming, which increases the diminishing of solutions diversity. Furthermore, does not exist any approach that uses multi-objective particle swarm optimization (MOPSO) with a distributed architecture to solve DMOPs. The standard MOPSO [14] algorithm stagnated in local optima and loss diversity over time.

This research focuses on proposing a Dynamic Pareto bi-level Multi-Objective Particle Swarm Optimization (DPb-MOPSO). The system adopts a distributed architecture with two parallel optimization levels to handle DMOPs with various types of changes on POS and POF. For the upper level (L_1), the swarm acts in a single search space, pushing all particles to the best-compromise solutions. Nevertheless, if a dynamic change is successfully detected at the first level, the second level processing provides exploitation enhancement over a dynamic multi-swarm subdivision based on the Pareto ranking operator.

A. Aboud is with University of Sousse, ISITCom, 4011, Sousse, Tunisia; and with REsearch Groups in Intelligent Machines (REGIM Lab), University of Sfax, National Engineering School of Sfax (ENIS), BP 1173, Sfax, 3038, Tunisia; (E-mail: ahlem.aboud@regim.usf.tn).

N. Rokbani is with the High Institute of Applied Science and technology of Sousse, University of Sousse, Tunisia and with REsearch Groups in Intelligent Machines (REGIM Lab), University of Sfax, National Engineering School of Sfax (ENIS), BP 1173, Sfax, 3038, Tunisia; (E-mail: nizar.rokbani@ieee.org).

R. Fdhila is with REsearch Groups in Intelligent Machines (REGIM Lab), University of Sfax, National Engineering School of Sfax (ENIS), BP 1173, Sfax, 3038, Tunisia. (E-mail: raja.fdhila@ieee.org).

A. M. Qahtani is with Department of Computer Science, College of Computers and Information Technology, Taif University, P.O.Box. 11099, Taif 21944, Saudi Arabia. (E-mail: amqahtani@tu.edu.sa).

O. Almutiry and H. Dhahri are with College of Applied Computer Science, King Saud University, Riyadh, Saudi Arabia. (E-mails: oalmutiry@ksu.edu.sa, hhdhahri@ksu.edu.sa).

A. Hussain is with Edinburgh Napier University, School of Computing, Edinburgh EH10 5DT, Scotland, U.K. (E-mail: a.hussain@napier.ac.uk).

A. M. Alimi is with REsearch Groups in Intelligent Machines (REGIM Lab), University of Sfax, National Engineering School of Sfax (ENIS), BP 1173, Sfax, 3038, Tunisia; and with Department of Electrical and Electronic Engineering Science, Faculty of Engineering and the Built Environment, University of Johannesburg, South Africa. (E-mail : adel.alimi@ieee.org).

DPb-MOPSO proposes a dynamic handling strategy to detect and effectively respond to changes. For the detection strategy, 10% of the randomly selected solutions POS(t) have been used as detectors and compared with the previous solutions POS($t-1$). The response strategy consists in re-evaluating all solutions with negative improvement and replaced them with new random solutions. Solutions with positive progress are transferred to build a new population in order to speed up the optimization process after changes. Non-dominated solutions are then re-evaluated in the archive to avoid outdated memory issue.

The state of the art involves comparable algorithms to the novel DPb-MOPSO system based essentially on three metrics [11]: Inverted Generational Distance (IGD), Mean Inverted Generational Distance (MIGD), and Hypervolume Difference (HVD) metrics. Including, five MOEAs, namely Multi-objective Evolutionary Algorithm Based on Decomposition (MOEA/D) [15], dynamic Competitive-cooperative co-evolutionary Algorithm (dCOEA) [16], Population Prediction Strategy (PPS) [17], Dynamic Non-dominated Sorting Genetic Algorithm II (DNSGA-II) [18] and Steady-State Generational Evolutionary Algorithm (SGEA) [19]. Four PSO-based methods which are: Dual multi-objective particle swarm optimization (dMOPSO) [20], distributed Multi-Objective Particles Swarms Optimization, based on dynamic subdivision of the population using Pareto fronts (pbMOPSO) [12] and Multi-Objective Particles Swarms Optimization (MOPSO) [14], and Dynamic-MOPSO [9]. The six methods based on transfer learning [13] are; MMTL-MOEA/D, RIMOEA/D [13], KF-MOEA/D [21], PPS-MOEA/D [17], SVR-MOEA/D [22] and Tr-MOEA/D [23] approaches.

The remaining of this paper is organized as follows. Section II introduces the overview of dynamic multi-objective optimization methods in detail. Section III details the proposed DPb-MOPSO. Section IV introduces the preliminary of the experimental study. The analysis and discussion of the results are shown in Section V. The Lyapunov theorem used for stability analysis is presented in Section VI. Finally, Section VII summarizes the paper and suggest some prospects for future works.

II. DYNAMIC MULTI-OBJECTIVE OPTIMIZATION METHODS

Several studies were interested in dynamic multi-objective optimization at three research levels, and therefore include the development of benchmarks, algorithms and quality indicators. Generally, a dynamic multi-objective optimization problem f_t which has m time-varying objective function, and solved by an algorithm G in a given time period $[t_{begin}, t_{end}]$ by be expressed as in Equation 1.

$$\begin{aligned} &\text{Minimize } F(x, t) = (f_1(x, t), f_2(x, t), \dots, f_m(x, t)) \\ &\text{Subject to: } g_i(x, t) \leq 0 \text{ and } h_j(x, t) = 0 \forall i, j = 1, \dots, n \\ &x \in [x_{min}, x_{max}], t \in [t_{begin}, t_{end}] \end{aligned} \quad (1)$$

Among DMOPs, the following are well used in cooperative analysis: three dMOP problems such in [16], five continuous FDA functions such in [1] including dynamic shift on POF and POS, five ZJZ (F5 to F10) [17] with non-linear correlation between decision variables, nine Unconstrained Dynamic Functions (UDFs) [24] and a set of real-world problems [25]. Five categories of MOEAs have been also proposed for DMOP

and classified in Table I. The first category is the standard MOEAs designed for static multi-objective optimization and considered for DMOP. Among them the Strength Pareto Evolutionary Algorithm 2 (SPEA2) [26], Non-dominated Sorting Genetic Algorithm II (NSGA-II) [2], MOEA/D [15], and dCOEA [16].

Furthermore, a set of Transfer Learning-based (TL) methods were proposed to construct a predictive model that can learn from previous experience to predict future changes. Several TL methods have been proposed based on the baseline MOEA/D system [15]. When the environment changes, the modified MOEA/D algorithm with random initialization (RI-MOEA/D) [13] generates 10% of the new population. The Transfer Learning-based Dynamic Multi-objective Optimization Algorithm (TR-MOEA/D) [23] aims to manage non-independent, identically distributed solutions. The TR-MOEA/D algorithm determines the best potential space to select the optimal values of numerous hyper-parameters after each change. Memory-driven Manifold Transfer Learning algorithm (MMTL-MOEA/D) [13] were used to predict the initial population based on the elite of the previous solutions. The Kalman Filter (KF) prediction model based on MOEA/D (KF-MOEA/D) [21] uses a priori estimation to predict the posterior experience. An alternative Support Vector Regression MOEA/D (SVR-MOEA/D) [22] has also been proposed to predict the new population over time. The PPS-MOEA/D system was proposed in [17] based on an autoregressive model to predict the center point and the manifold based on previous experience.

Moreover, different diversity-based approaches maintain population diversity through a re-initialization or a hyper-mutation behavior after each transition or throughout the execution time. DNSGA-II-A and DNSGA-II-B [18] selects a random solution, and asses its re-evaluation to monitor any environmental change. The Dynamic Constrained NSGA-II (DC-NSGA-II) [27] proposed an adaptive penalty function to deal with time-varying constraints. In order to maintain diversity over time, the Dynamic-MOPSO system [9] controls the evolution of the objective function and reinitializes non suitable solutions. A memory-based method is proposed in dynamic Competitive-cooperative co-evolutionary Algorithm (dCOEA) [16]. In [28] an Adaptive Dynamic NSGA-II (A-Dy-NSGA-II) used an additional memory mechanism to implicitly or explicitly store outdated individuals for potential use. Steady-State Generational Evolutionary Algorithm (SGEA) [19] aims to reuse outdated solutions with good distribution to relocate solutions closer to the new POF. Different parallel methods with multiple sub-populations are used for DMOPs such in [8] and [29]. However, a set of performance indicators [11] have been considered for accuracy, diversity, and robustness measurements. Ultimately, convergence and diversity are measured using IGD, MIGD, and HVD quality indicators.

The PSO approach proposed in this paper tends to overcome the limitations of the surveyed MOEAs and the high computational time issue of transfer-learning methods when solving DMOPs. Despite all the additional mechanisms to detect and effectively react to changes, many EAs fail to assume good convergence and diversity in the dynamic search space. More details about the proposed DPb-MOPSO are presented in

the next section.

TABLE I. DYNAMIC MULTI-OBJECTIVE OPTIMIZATION METHODS REVIEW

	MOEAs	Tested Benchmarks
Transfer Learning-based Methods	MMTL-MOEA/D, Jiang <i>et al.</i> , (2020) [13]	FDA1-5 [1], dMOP1-3 [16]
	SVR-MOEA/D, Cao <i>et al.</i> , (2020) [22]	FDA1-5 [1], dMOP1-3 [16] and the DF test suite [30]
	TR-MOEA/D, Jiang <i>et al.</i> , (2018) [23]	dMOP1-3 [16], FDA1-5, DIMP2, DMOP2, HE2,7,9 [1]
	KF-MOEA/D, Muruganantham <i>et al.</i> , (2016) [21]	FDA1-5 [1], dMOP1-2 [16] and F5-10 [17]
	PPS-MOEA/D, Zhou <i>et al.</i> , (2014) [17]	FDA1, FDA4 [1] and dMOP1, dMOP2 [16], F5-F8 [17]
	RI-MOEA/D, Jiang <i>et al.</i> , (2020) [13]	FDA1-5 [1], dMOP1-3 [16]
Diversity-based Approaches	Dynamic-MOPSO, Aboud <i>et al.</i> , (2017) [9]	FDA1 [1] and DIMP2, dMOP3 [16]
	DC-NSGA-II, Azzouz <i>et al.</i> , (2015) [31]	DCTPs test problems [31]
	DNSGA-II-A and DNSGA-II-B, Deb <i>et al.</i> , (2007) [18]	Modified FDA2 and hydro-thermal scheduling problem [18]
Memory-based Approaches	A-Dy-NSGA-II, Azzouz <i>et al.</i> , (2017) [28]	FDA1, FDA2 [1], DMZDT test functions and WYL
	SGEA, Jiang <i>et al.</i> , (2016) [19]	5 FDA [1], 6 dMOP [16], 6 ZJZ [17] and 7 UDF [24].
	dCOEA, Gohet <i>et al.</i> , (2009) [16]	FDA1 [1] and 3 dMOP [16]
Parallel Approaches	DMOEA, Liu <i>et al.</i> , (2007) [8]	FDA1, modified FDA2, FDA3, FDA4 and FDA5 [1]
	PSFGA, Camara <i>et al.</i> , (2007) [29]	FDA1 and FDA2 [1]
Static MOEAs adapted for DMOOP	SPEA2, Kim <i>et al.</i> , (2004) [26]	DSW1, DSW2, DTF, FDA DMOPs [1]
	MSOPS, Hughes (2003) [32]	
	NSGA-II, Deb <i>et al.</i> , (2002) [2]	

III. THE DYNAMIC PARETO BI-LEVEL MULTI-OBJECTIVE PARTICLE SWARM OPTIMIZATION

The proposed Dynamic Pareto bi-level Multi-Objective Particle Swarm Optimization (DPb-MOPSO) approach is shown in Figure 1. DPb-MOPSO has two optimization levels, called the upper (L_1) and the lower (L_2) levels. These two levels include the dynamism handling strategy presented in subsection C to detect and effectively respond to changes.

A. DPb-MOPSO: Upper Level (L_1)

The upper level (L_1) starts with a random initialization of the position of N particles P_i in swarm S . Each particle is a candidate solution x_i^* in n dimensional search space. All non-dominated solutions in L_1 are stored in the leader's archive A . The global leader $gbest$ is selected from (A) based on the crowding distance operator between two random particles. The update of position (X) and velocity (V) at discrete time t is done based on the best self-experience ($pbest$) as a local component and the global experience of all neighbors as a global component ($gbest$) using Equations 2 and 3.

$$X_{t+1} = X_t + V_{t+1} \quad (2)$$

$$V_{t+1} = wV_t + c_1r_1(pbest(t) - X_t) + c_2r_2(gbest(t) - X_t) \quad (3)$$

where; w is the inertia weight, c_1 and c_2 are the acceleration coefficients. r_1 and r_2 are two random parameters designed to affect the cognitive and social components of each particle is detailed in Algorithm 1.

The detailed process of the first level L_1 is given in Figure 2. When a successful dynamic change is detected, the lower level (L_2) switches to execute Algorithm 2 in parallel with L_1 .

The dynamic change detection is checked by comparing the current $POS(t)$ with the previous $POS(t-1)$. All changes in the DMOPs are known to the algorithm and are checked with a periodic τ_t as detailed in subsection C. When each DMOP has a time-dependent parameter T affected by the frequency τ_t and

is presented in Equation 4.

$$T = \frac{1}{n_t} \left\lfloor \frac{\tau}{\tau_t} \right\rfloor \quad (4)$$

where; n_t , and τ are the severity of the change and the iteration counter respectively, $\forall t \in T_{max}$.

Algorithm 1: DPb-MOPSO upper level (L_1)

Input: P_0 (swarm of n particles), N (size of p_0), T_{max} (max-iterations), $POS(t)$ and $POS(t-1)$ solution sets, A (Leader's Archive);

Output: Set of non-dominated solutions in the leader's archive A

1. Initialize $t = 1$, P_0 , A ;
2. While $t \leq T_{max}$ do:
3. If Dynamic Change is detected then:
4. Start the switched level L_2 in the Algorithm 2;
5. End if
6. For $i = 1$ to N do
7. Select the leader $gbest$;
8. Evaluate the fitness function F of each P_i ;
9. Record the previous solutions set $POS(t-1)$;
10. Select $pbest$ and $gbest$;
11. Update the positions X_i and the velocity V_i using equations 2 and 3;
12. // Apply the dynamism handling strategy.
13. For each interval of time = τ_t do:
14. //Select detectors.
15. Current population = 10% of $POS(t)$ as random detectors;
16. Previous population = 10% of their projection in previous $POS(t-1)$;
17. For $i = 0$ to $|POS(t)|$ do:
18. //Change detection strategy.
19. Compare fitness function $POS(t)$ Vs. $POS(t-1)$
20. using strong epsilon dominance operator;
21. If $f_i(t) > f_i(t-1)$ then:
22. Negative change = true;
23. Select $POS(t)$ with negative changes;
24. Select $POS(t)$ with positive changes;
25. //Response strategy.
26. Re-initialize all solutions with negative changes in $POS(t)$;
27. Construct population $POS(t+1)$ using positive $POS(t)$;
28. Update A ;
29. End if
30. End for;
31. End while;
32. Update the leader's archive A ;
33. $t++$;
34. End while;
35. Return the best non-dominated solutions from the archive A ;




Fig. 1. The Distributed Flowchart of the Proposed Dynamic Pareto bi-level Multi-Objective Particle Swarm Optimization (DPb-MOPSO) Algorithm.




Fig. 2. The Detailed Steps of DPb-MOPSO in the Upper and Lower Levels.

In each optimization step, all the optimal solutions x_i^* of L_1 are stored in archive A , and the epsilon operator is used to measure the best approximation to the true POF. Archive A is a shared component between the two levels, used to select the best global leader (gbest).

B. DPb-MOPSO: Lower Level (L_2)

If Algorithm 1 successfully detects the first dynamic change, the lower level (L_2) starts. The second level has a distributed

architecture based on the parallel execution of multiple sub-swarms of the population P' transferred from L_1 . Then, apply Pareto ranking operator to subdivide P' into K sub-swarms of different sizes. The K sub-swarms are a set of fronts denoted by F_0, \dots, F_{K-1} . Therefore, in order to ensure equality between the front sizes, additional individuals are randomly selected from the solution set $POS(t)$ performed in L_1 and injected into other fronts. Moreover, all sub-swarms are optimized in parallel, and perform the same process in Figure 2. The K sub-swarms are

performed in parallel until the maximum number of iterations (T_{\max}). All non-dominated solutions of L_2 from K sub-swarms are stored in the archive A . At the end of the two optimization levels, the best non-dominated solutions in archive A are generated as the output of the proposal.

C. DPb-MOPSO: Dynamic Changes Handling Strategy

Dynamic changes detection aims essentially to help a better search process and to prospect any interesting solutions. The two steps of dynamism handling of the proposed algorithm are listed in lines 12 to 25 in the pseudo-code of Algorithm 1, and detailed as follows:

✓ Step 1: Environment detection strategy:

Check the environmental changes after each frequency τ_t is equal to 5, 10, and 20 showing severe, moderate, and slight changes respectively. All historical values of the previous population $POS(t-1)$ and the current $POS(t)$ are recorded at each iteration. By selecting 10% of the previous $POS(t-1)$ as random detectors, the comparison process starts after evaluation the fitness function F to obtain the new optimized population. Then, select 10% of the current mapping solutions in $POS(t)$ to control their evolution over time. The strong dominance operator of the Epsilon-Dominance method is used to compare the time-varying behavior of each particle between t and $t-1$. For all M objectives, if X_t is strictly better than X_{t-1} , ($X_t > X_{t-1}$), then the solution X_t strongly dominates the solution X_{t-1} .

✓ Step 2: Response change strategy:

If the change is successfully identified, all solutions $POS(t)$ with negative changes are reinitialized. In order to assume that only solutions with positive effects have good diversity and convergence, all detectors with positive changes $POS(t)$ are transferred to build a new population at $t+1$. In addition, reassess the leader's profile (A) to update all non-dominant solutions and overcome the deterioration of research capabilities.

Algorithm 2: DPb-MOPSO lower level (L_2)

Input: F_K (set of fronts), n (size of the front), T_{\max} (maximum iterations), P' (population of L_1), k (number of ranks);

Output: A (leader's archive);

1. Select the intermediate population P' of L_1 ;
2. Apply the pareto ranking operator to subdivide P' into a set of fronts ranked from 0 to $K-1$ to construct multiple sub-swarms F_K ;
3. Adjust the size of each sub-swarm F_K ;
4. While $t \leq T_{\max}$ do:
5. For $K = 0$ to $K-1$ do:
6. Parallel execution of DPb-MOPSO process in Figure 2.
7. End for
8. End while
9. Store the non-dominated solutions on A ;
10. Return the best non-dominated solutions in the archive A ;

IV. EXPERIMENTAL STUDY: PRELIMINARIES

This section presents the empirical study referring to the contributions [13] and [19]. The proposed DPb-MOPSO approach is compared to six transfer learning-based methods [13], five MOEAs [19], and four MOPSO-based approaches [9]

, [12], [14], [20]. In the following experimentations algorithms are executed during 30 independent runs. Each run is executed during the maximum number of iterations $T_{\max} = 3 \times n_t \times \tau_t + 50$, where; τ_t is the frequency of change fixed to 5, 10 and 20 respectively, and n_t is the severity of the change fixed to 10. The Java implementation of the proposed method is done using the jMETAL framework [33] on a personal computer with 8 Go of Ram, 1 To, and a i7 intel processor. Experimental settings are summarized in Table II.

TABLE II. PARAMETERS SETTINGS OF MOEAs.

MOPSO, dMOPSO, pbMOPSO, Dynamic-MOPSO and DPb-MOPSO		
Perturbation index= 1.0	Mutation probability= 1.0/number of variables	r1 and r2= rand () c1 and c2= rand (1.5, 2.0) w= rand (0.1, 0.5)
dCOEA, PPS, MOEAD, SGEA, DNSGA-II, TL-methods		
Crossover probability=1.0	Mutation distribution= 20	Crossover distribution= 20
Common parameters for all algorithms		
Swarm size=100	Archive size=100	Max-iterations= $3 \times n_t \times \tau_t + 50$

A. Dynamic Multi Objective Benchmarks

This study concerns 21 benchmarks which are made of: five FDA [1], three dMOP [16], six F(ZJZ) [17], and seven UDF [24] functions. Table III lists all DMOPs parameter settings and the dynamic nature of POS and POF.

B. Quality Indicators:

Three quality indicators are considered for convergence and diversity measurement, and therefore include IGD, MIGD, and HVD metrics. The small value is the best.

- IGD is calculated using Equation 5 to measure the minimum Euclidean distance d between i th points in the generate POF and the true POF^* .

$$IGD(POF^*, POF) = \frac{\sum_{i \in POF^*} d(i, POF)}{|POF^*|} \quad (5)$$

- MIGD is the average of the IGD values computed using Equation 6.

$$MIGD(POF_i^*, POF_i) = \frac{1}{T} \sum_{i \in T} IGD(POF_i^*, POF_i) \quad (6)$$

- The HVD indicator is designed to measure the difference hypervolume between the obtained POF^* to the true POF^* and presented in equation 7.

$$HVD = HV(POF_i^*) - HV(POF_i) \quad (7)$$

V. EXPERIMENTAL STUDY:

RESULTS AND STATISTICAL ANALYSIS

This section aims to analyse the quantitative results of IGD, MIGD and HVD indicators. All mean and standard deviation values are reported in the appendix (see Tables VII-X). Important values are highlighted in bold and gray. The inferential statistical concept of Friedman's two-way Analysis of Variance (ANOVA) method is used to determine the significance level between all tested MOEAs.

TABLE III Characteristics and Parameter Settings of DMOPs

DMOPs		Nb.Obj.	Nb.Var.	Type	POS Change Nature	POF Change Nature	
						Shift	Curvature
FDA problems, Farina et al. [24]	FDA1	2	20	I	sinusoidal change + vertical shift	no change	no change + convex
	FDA2	2	15	II		vertical + density of solutions changes	cyclic change: convex to concave
	FDA3	2	30	II		vertical + spread of solutions change	cyclic change: convex
	FDA4	3	12	I		no change + spread of solutions change	no change + nonconvex
	FDA5	3	12	II		radius variations + dynamic spread	change + nonconvex
dMOP problems, Goh et al. [9]	dMOP1	2	10	III	no change	vertical	change: convex to concave
	dMOP2	2	10	II	sinusoidal change + vertical shift	vertical	change: convex to concave
	dMOP3	2	10	I	sinusoidal change + vertical shift	no change	no change + convex
ZJZ problems, Zhou et al. [37]	F5	2	20	II	trigonometric + vertical shift	vertical	change: convex to concave
	F6	2	20	II			
	F7	2	20	II			
	F8	3	20	II			
	F9	2	20	II			
	F10	2	20	II			
UDF problems, Biswas et al. [30]	UDF1	2	10	I	trigonometric + vertical shift	diagonal	no change + linear + continuous
	UDF2	2	10	I	polynomial + vertical shift	vertical	no change + linear + continuous
	UDF3	2	10	III	trigonometric + no variation	diagonal	linear + discontinuous
	UDF4	2	10	II	trigonometric + horizontal shift	angular shift	convex to concave + continuous
	UDF5	2	10	II	polynomial + vertical shift	angular shift	change: convex to concave + continuous
	UDF6	2	10	III	trigonometric + no variation	diagonal + angular	linear + discontinuous
	UDF7	3	10	III	trigonometric + no variation	shifting of the center	radius concave + 3D

A. Results Analysis through Mean and Standard Deviation

Different configurations were considered on MOEAs to demonstrate the impact of changing frequency when solving DMOPs. These configurations are implemented for severe, moderate, and slight changes based on the constant value of the severity of change n_t and the variation of the frequency τ_t .

1) Results on UDF and F(ZJZ) Problems

Experimental results in Table VII show that DPb-MOPSO is better than DNSGA-II, dCOEA, PPS, MOEA/D, SGEA, MOPSO, dMOPSO, pbMOPSO for solving the majority of UDF and F(ZJZ) functions on both IGD and HVD metrics. The 13 functions are classified as follows: type I (UDF1, UDF2), type II (F5-F10, UDF4, UDF5), and type III (UDF3, UDF6, UDF7). In order to show statistically reliable conclusion, we use boxplots of the one-way ANOVA test in Figure 3. We can conclude that, compared with Dynamic-MOPSO, DPb-MOPSO is a competitive system with the best convergence on IGD and the best distribution on HVD. In detail, the best result of DPb-MOPSO on IGD are 8/13 (UDF1, UDF2, UDF4, UDF5, UDF6, F5, F6, F8) and 7/13 (UDF1, UDF2, UDF4, UDF5, UDF6, F6, F8) are on HVD, while Dynamic-MOPSO is 3/13 (F7, F9, F10) on IGD and 5/13 (F5, F7, F9, F10, UDF7) on HVD. When solving UDF3 on HVD and UDF7 on IGD, there is a slight difference between DPb-MOPSO and pbMOPSO. Compared with the dMOPSO system, DPb-MOPSO only has poor convergence for the UDF3 function on the IGD measurement.

2) Results on FDA and dMOP Problems

In the case of 8 FDA and dMOP functions, all quantitative results of MIGD, IGD and HVD indicators are reported in

Tables VIII, IX, X respectively with severe, moderate and slight changes. In order to facilitate the analysis of the results, the boxplots of the one-way ANOVA test are considered in Figures 4, 5, and 6. In this part of the study, 8 FDA and dMOP benchmarks were tested. Most FDA and dMOP functions belong to type I (FDA1, FDA4, dMOP3) or types II (FDA2, FDA3, FDA5, dMOP2), and only dMOP1 belongs to type III. The one-way ANOVA results in Figure 4 determine the importance of DPb-MOPSO compared with MMTL-MOEAD, KF-MOEAD, PPS-MOEAD, SVR-MOEAD, Tr-MOEAD, RI-MOEAD, MOPSO, dMOPSO, pbMOPSO and Dynamic-MOPSO to solve 8 DMOPs through MIGD metric. Figure 5 and Figure 6 have shown the boxplots of the one-way ANOVA test of the IGD and the HVD quality indicators.

Compared with DNSGA-II, dCOEA, PPS, MOEA/D, SGEA, MOPSO, dMOPSO, and pbMOPSO, the DPb-MOPSO method is the best to solve 4/8 (FDA2, FDA4, FDA5, dMOP1), 5/8 (FDA2, FDA3, FDA4, FDA5, dMOP1), and 5/8 (FDA1, FDA3, FDA4, FDA5, dMOP1) respectively in the MIGD indicator of severe, moderate and slight environmental changes. MOPSO, Dynamic-MOPSO and MMLT-MOEAD only have good results when solving 2/8 (FDA1, dMOP2), 1/8 (FDA3) and 1/8 (dMOP3) respectively on the MIGD with severe environmental changes. However, MOPSO, dMOPSO and MMLT-MOEAD only have the best mean values for FDA1, dMOP2 and dMOP3 on the MIGD with moderate changes. For slightly change, Dynamic-MOPSO, dMOPSO and MMTL-MOEAD are the best choices for FDA2, dMOP2 and dMOP3 respectively. Using IGD metric with severe changes, DPb-MOPSO aims to solve 4/8 (FDA2, FDA3, FDA4, dMOP1), MOPSO has 1/8 (FDA1), pbMOPSO has 2/8 (FDA5, dMOP2) and dCOEA has

1/8 (dMOP3). For moderate changes, we can conclude that 4/8 (FDA3, FDA4, FDA5, dMOP3) functions are resolved using DPb-MOPSO, 1/8 (FDA1) uses MOPSO, 1/8 (FDA2) uses DNSGA-II, 1/8 (dMOP2) uses pbMOPSO and 1/8 (dMOP3) uses dCOEA. For slight changes, we can find 4/8 (FDA3, FDA4, FDA5, dMOP3) benchmarks are resolved using DPb-MOPSO, 2/8 (FDA1, FDA2) use MOPSO, 1/8 (dMOP2) use pbMOPSO and 1/8 (dMOP3) use dCOEA. Compared with MOPSO which aims to solve 1/8 (FDA1), SGEA 1/8 (FDA2), pbMOPSO 1/8 (dMOP2) and dCOEA 1/8 (dMOP3), the DPb-MOPSO system can solve 4/8 (FDA3, FDA4, FDA5, dMOP1) functions for the 3 kinds of environmental changes using HVD.

B. Discussion through Friedman two-way ANOVA Test

The use of the mean and standard deviation values of the quality indicators indicates that they are insufficient to evaluate the performance of swarm intelligence algorithms and highlight their significance level. For this reason, Friedman's two-way ANOVA ranking test and its Post-hoc procedure [34] are used to analyze the results of different environmental changes on IGD, MIGD and HVD. Friedman's two-way ANOVA test is a non-parametric alternative to repeated-measures ANOVA. The test does not assume a normal distribution to compare multiple treatments and determine the level of significance between algorithms. First, define the null hypothesis $H_0: \mu_1 = \mu_i$ (there is no difference between the means), and the alternative hypothesis $H_1: \mu_1 \neq \mu_i$ (there is a difference).

If the P-value $\leq \alpha$ indicates the statistical significance level, then reject the null hypothesis, otherwise we accept H_1 , where Alpha (α) is equal to 0.05. Friedman's two-way ANOVA ranking is calculated by assigning a ranking value (r_i) to each algorithm i while; 1 is the best result to k , and k is the worst result. For a tie case, we assign the average of the rankings. The decision rule is defined as the critical value (CV) determined according to the chi-Square (χ^2) table¹. The CV value is fixed according to the degree of freedom (df) equal to $k - 1$, where k is the number of comparison algorithms and $\alpha = 0.05$. If the calculated χ^2 is greater than CV, we will reject the null hypothesis. In addition, if the calculated P-value is less than 0.05, we assume that there is a significant difference between the test algorithms.

1) Friedman rankings test

According to Tables IV and V, we can conclude that DPb-MOPSO is a winner in using IGD to measure FDA, dMOP functions for severe and slight environmental changes. However, when using the IGD, HVD, and MIGD quality indicators, it ranks higher in addressing the moderate environmental changes of 21 DMOPs (FDA, dMOP, UDF, and ZJZ (F)). Whereas, assuming that the overall statistical difference between all tested algorithms is significant, all calculated χ^2 are greater than CV. At the 0.05 level of significance, all means are not equal. Almost, most P-values less than 0.05 represent the assumption of rejecting the null hypothesis and assuming that some means are not exactly equal and there are significant differences. Furthermore, the null hypothesis that there is no difference between means is retained for slight changes using the HVD indicator with a P-

value=0.207, which is greater than 0.05. Friedman's ranking test detected significant difference between multiple comparisons. However, it is difficult to determine which group pairs are significantly different. Therefore, Friedman $1 \times N$ ANOVA multiple comparisons were considered for the results discussion, aiming to compare DPb-MOPSO as a control method with other MOEAs.

TABLE IV. Friedman's ANOVA Mean Ranks on IGD and HVD for FDA, dMOP, F (ZJZ) and UDF.

Mean Ranks over IGD and HVD						
Dynamic changes	Severe ($\tau_i=5, n_i=10$)		Moderate ($\tau_i=10, n_i=10$)		Slight ($\tau_i=20, n_i=10$)	
DMOPs	FDA, dMOP		FDA, dMOP, F(ZJZ), UDF		FDA, dMOP	
QI	IGD	HVD	IGD	HVD	IGD	HVD
DNSGA-II	8.94	7.25	7.29	6.40	8.25	6.00
dCOEA	6.44	5.38	7.98	6.52	7.00	6.50
PPS	8.00	7.25	7.19	6.12	8.00	6.00
MOEA/D	8.38	7.75	7.74	6.79	7.38	6.88
SGEA	6.13	4.25	6.10	4.40	5.13	4.25
MOPSO	3.63	5.94	5.40	7.29	3.19	6.06
dMOPSO	5.50	6.38	6.31	7.40	5.31	6.81
pbMOPSO	2.63	4.00	3.21	4.45	5.00	5.00
Dynamic-MOPSO	3.25	3.63	1.95	2.83	3.25	4.25
DPb-MOPSO	2.13	3.19	1.83	2.79	2.50	3.25
Chi-Square χ^2	48.77	21.69	113.70	63.19	34.42	12.11
P-value ($\alpha = 0.05$)	1.9E-7	0.01	2.6E-2	3.3E-1	8.0E-5	0.21
Statistically Significant	Yes	Yes	Yes	Yes	Yes	No
Critical value	16.92					
df	9					

TABLE V. Friedman's ANOVA Mean Ranks on MIGD for FDA, dMOP.

Mean Ranks over MIGD			
DMOPs	FDA, dMOP		
Dynamic changes	Severe ($\tau_i=5, n_i=10$)	Moderate ($\tau_i=10, n_i=10$)	Slight ($\tau_i=20, n_i=10$)
MMTL-MOEA/D	5.63	5.50	5.50
KF-MOEA/D	9.13	8.63	7.88
PPS-MOEA/D	8.00	7.25	8.13
SVR-MOEA/D	8.50	8.00	8.13
Tr-MOEA/D	9.00	8.88	8.88
RI-MOEA/D	8.88	9.13	8.38
MOPSO	3.19	4.13	4.19
dMOPSO	4.56	6.13	5.06
pbMOPSO	3.00	3.50	4.38
Dynamic-MOPSO	3.75	2.88	3.00
DPb-MOPSO	2.38	2.00	2.50
Chi-Square χ^2	54.29	48.21	39.85
P-value ($\alpha = 0.05$)	4.29E-8	5.69E-7	1.80E-5
Statistically Significant	Yes	Yes	Yes
Critical value	18.31		
df	10		

2) Friedman $1 \times N$ ANOVA Test

The Friedman Post-hoc procedure was performed to compare group means, and DPb-MOPSO was the control method. The Friedman Post-hoc procedure process results in a P-value (PV) at the 0.05 significance level that determines the degree of rejection of the null hypothesis. In Table VI, we first consider the PV over MIGD metric and compare DPb-MOPSO with six methods based on transfer learning and four methods based on MOPSO. Note that the sign (+) means that DPb-MOPSO is the best algorithm, and (\cong) the same significant level is determined. Compared with KF-MOEA/D, Tr-MOEA/D, RI-MOEA/D, SVR-MOEA/D, PPS-MOEA/D and MMTL-MOEA/D, the importance of the DPb-MOPSO system can be observed with P-values of all environment changes are all less than 0.05.

However, it has the same level of significance compared with MOPSO, pbMOPSO and Dynamic-MOPSO. In addition, we only retained the null hypothesis of the dMOPSO system on moderate changes, and compared with DPb-MOPSO, it has the same significance for severe and slight changes and MMTL-

¹ <http://uregina.ca/~gingrich/appchi.pdf>.

MOEA/D with slight changes. The PV over IGD presents the significant difference of DPb-MOPSO compared to DnSGA-II, MOEA/D, PPS, and dCOEA for all the types of changes. In addition, we can infer that there is no difference in p-value greater than 0.05, for severe and slight changes between DPb-MOPSO compared with dMOPSO, MOPSO, pbMOPSO and Dynamic-MOPSO.

Also, DPb-MOPSO has significant result for moderate changes compared to six MOEAs. Furthermore, the computed P-values on HVD metric are greater than 0.05, we retain the null hypothesis of no difference between mean values for the six MOEAs with slight changes. However, the DPb-MOPSO system performs six MOEAs (DnSGA-II, MOEA/D, PPS, dCOEA, dMOPSO, MOPSO) in solving DMOPs with moderate changes except for the SGEA, pbMOPSO and Dynamic-MOPSO approaches have the same importance as the proposal.


TABLE VI. P-values obtained by the post hoc method over the results of Friedman procedure with $\alpha = 0.05$ over MIGD, IGD and HVD.

QI	DPb-MOPSO vs.	(τ_i, n_i)		
		(5, 10)	(10, 10)	(20, 10)
MIGD	KF-MOEA/D	$\leq 0.001 +$	$\leq 0.001 +$	$0.001 +$
	Tr-MOEA/D	$\leq 0.001 +$	$\leq 0.001 +$	$\leq 0.001 +$
	RI-MOEA/D	$\leq 0.001 +$	$\leq 0.001 +$	$\leq 0.001 +$
	SVR-MOEA/D	$\leq 0.001 +$	$\leq 0.001 +$	$0.001 +$
	PPS-MOEA/D	$0.001 +$	$0.002 +$	$0.001 +$
	MMTL-MOEA/D	$0.050 +$	$0.035 +$	$0.070 \approx$
	dMOPSO	$0.187 \approx$	$0.013 +$	$0.122 \approx$
	MOPSO	$0.624 \approx$	$0.200 \approx$	$0.309 \approx$
	pbMOPSO	$0.706 \approx$	$0.366 \approx$	$0.258 \approx$
	Dynamic-MOPSO	$0.407 \approx$	$0.598 \approx$	$0.763 \approx$
IGD	DnSGA-II	$\leq 0.001 +$	$\leq 0.001 +$	$\leq 0.001 +$
	MOEA/D	$\leq 0.001 +$	$\leq 0.001 +$	$0.001 +$
	PPS	$\leq 0.001 +$	$\leq 0.001 +$	$\leq 0.001 +$
	dCOEA	$0.004 +$	$\leq 0.001 +$	$0.003 +$
	SGEA	$0.008 +$	$\leq 0.001 +$	$0.083 \approx$
	dMOPSO	$0.026 +$	$\leq 0.001 +$	$0.063 \approx$
	MOPSO	$0.322 \approx$	$\leq 0.001 +$	$0.650 \approx$
	pbMOPSO	$0.741 \approx$	$0.139 \approx$	$0.099 \approx$
	Dynamic-MOPSO	$0.457 \approx$	$0.899 \approx$	$0.620 \approx$
HVD	DnSGA-II	$0.007 +$	$\leq 0.001 +$	The Friedman test retained the null hypothesis of no difference between mean values with P-value=0.207 > 0.05.
	MOEA/D	$0.003 +$	$\leq 0.001 +$	
	PPS	$0.007 +$	$\leq 0.001 +$	
	dCOEA	$0.148 \approx$	$\leq 0.001 +$	
	SGEA	$0.483 \approx$	$0.083 \approx$	
	dMOPSO	$0.035 +$	$\leq 0.001 +$	
	MOPSO	$0.069 \approx$	$\leq 0.001 +$	
	pbMOPSO	$0.591 \approx$	$0.074 \approx$	
	Dynamic-MOPSO	$0.773 \approx$	$0.959 \approx$	

+: DPb-MOPSO is the best algorithm, \approx : DPb-MOPSO has the same significant level compared to other MOEAs (significance level is 0.05).

In conclusion, and in regards to the state-of-the-art methods, the proposed DPb-MOPSO has shown its importance compared with other MOPSO-based methods. In addition, compared with the new DPb-MOPSO, the MOPSO-based system is the most competitive. But they failed to resolve multiple DMOPs, thus demonstrating the utility and importance of using dynamic processing strategies for two-stage optimization to detect and effectively respond to changes. However, the DPb-MOPSO algorithm also failed in some test problems with the characteristics of time-varying spread, dynamic density of the solution, shifting of the center point and a discontinuous POF. the DPb-MOPSO may requires an additional mechanism to detect the dynamic density of the POS and effectively respond to it and assume good distribution using the HVD measurement.

One-way ANOVA Results in a Boxplot of 10 MOEAs on IGD for UDF, ZJZ(F) with Moderate Environmental Changes.



One-way ANOVA Results in a Boxplot of 10 MOEAs on HVD for UDF, ZJZ (F) with Moderate Environmental Changes.






Fig. 3. ANOVA Boxplot on (a) IGD and (b) HVD with Moderate Environmental Changes for UDF and F(ZJZ) functions.

One-way ANOVA Results in a Boxplot of 11 MOEAs on MIGD for FDA, dMOP with Severe Environmental Changes.



One-way ANOVA Results in a Boxplot of 11 MOEAs on MIGD for FDA, dMOP with Moderate Environmental Changes.



One-way ANOVA Results in a Boxplot of 11 MOEAs on MIGD for FDA, dMOP with Slight Environmental Changes.




Fig. 4. ANOVA Multiple Comparison on MIGD with (a) Severe, (b) Moderate, and (c) Slight Environmental Changes for FDA and dMOP functions.

algorithm for solving different types of DMOPs (I, II and III). The proposed DPb-MOPSO has a distributed architecture with two optimization levels, including dynamic handling strategy that effectively detects and responds to changes. In contrast to several MOEAs, Friedman's two-way ANOVA test is used to evaluate the proposed DPb-MOPSO. Based on statistical analysis (at 0.05 significance level), DPb-MOPSO proved to be a more robust algorithm because it can ensure a good trade-off between convergence and diversity in a time-dependent environment. Further, the spectrum of Lyapunov exponents has shown to be an efficient tool for analyzing periodic motions and stability analysis in dynamical systems. The superiority of the proposed method is observed when handling DMOPs with two or three objectives including different types of changes in POS and POF. In conclusion, this study proves the novelty and robustness of DPb-MOPSO in solving dynamic multi-objective problems. However, these characteristics have yet to be explored for problems with more than three objectives. For future work, we will further enhance the proposed approach for DMOPs with dynamic spread and time-varying density of the solutions as well as for pertinent feature selection in real-world problem.

APPENDICES

See Tables VII, VIII, IX and X below.

ACKNOWLEDGMENT

We deeply acknowledge Taif University for Supporting this study through Taif University Researchers Supporting Project number (TURSP-2020/327), Taif University, Taif, Saudi Arabia.

The research leading to these results has received funding from the Ministry of Higher Education and Scientific Research of Tunisia under the grant agreement number LR11ES48.

REFERENCES

- [1] M. Farina, K. Deb, and P. Amato, "Dynamic multiobjective optimization problems: Test cases, approximations, and applications," *IEEE Transactions on Evolutionary Computation*, vol. 8, no. 5, pp. 425–442, Oct. 2004, doi: 10.1109/TEVC.2004.831456.
- [2] K. Deb, A. Pratap, S. Agarwal, and T. Meyarivan, "A fast and elitist multiobjective genetic algorithm: NSGA-II," *IEEE Transactions on Evolutionary Computation*, vol. 6, no. 2, pp. 182–197, Apr. 2002, doi: 10.1109/4235.996017.
- [3] J. Kennedy and R. Eberhart, "Particle swarm optimization," in *Proceedings of ICNN'95 - International Conference on Neural Networks*, Nov. 1995, vol. 4, pp. 1942–1948 vol.4, doi: 10.1109/ICNN.1995.488968.
- [4] A. Song, W. N. Chen, T. Gu, H. Yuan, S. Kwong, and J. Zhang, "Distributed Virtual Network Embedding System with Historical Archives and Set-Based Particle Swarm Optimization," *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 51, no. 2, pp. 927–942, Feb. 2021, doi: 10.1109/TSMC.2018.2884523.
- [5] Y. Wang and L. Li, "Heterogeneous redundancy allocation for series-parallel multi-state systems using hybrid particle swarm optimization and local search," *IEEE Transactions on Systems, Man, and Cybernetics Part A: Systems and Humans*, vol. 42, no. 2, pp. 464–474, Mar. 2012, doi: 10.1109/TSMCA.2011.2159585.
- [6] H. Chen, M. Li, and X. Chen, "Using diversity as an additional-objective in dynamic multi-objective optimization algorithms," *2nd International Symposium on Electronic Commerce and Security, ISECS 2009*, vol. 1, pp. 484–487, 2009, doi: 10.1109/ISECS.2009.42.
- [7] Z. Zhang, "Multiobjective optimization immune algorithm in dynamic environments and its application to greenhouse control," *Applied Soft Computing*, vol. 8, no. 2, pp. 959–971, Mar. 2008, doi: 10.1016/J.ASOC.2007.07.005.
- [8] C. A. Liu and Y. Wang, "Dynamic multi-objective optimization evolutionary algorithm," *Proceedings - Third International Conference on Natural Computation, ICNC 2007*, vol. 4, pp. 456–459, 2007, doi: 10.1109/ICNC.2007.340.
- [9] A. Aboud, R. Fdhila, and A. M. Alimi, "Dynamic Multi Objective Particle Swarm Optimization Based on a New Environment Change Detection Strategy," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, Nov. 2017, vol. 10637 LNCS, pp. 258–268, doi: 10.1007/978-3-319-70093-9_27.
- [10] A. Aboud, R. Fdhila, and A. M. Alimi, "MOPSO for dynamic feature selection problem based big data fusion," in *2016 IEEE International Conference on Systems, Man, and Cybernetics, SMC 2016 - Conference Proceedings*, Feb. 2017, pp. 3918–3923, doi: 10.1109/SMC.2016.7844846.
- [11] R. Azzouz, S. Bechikh, and L. ben Said, "Dynamic Multi-objective Optimization Using Evolutionary Algorithms: A Survey," *Adaptation, Learning, and Optimization*, vol. 20, pp. 31–70, 2017, doi: 10.1007/978-3-319-42978-6_2.
- [12] R. Fdhila, C. Walha, T. M. Hamdani, and A. M. Alimi, "Hierarchical design for distributed MOPSO using sub-swarms based on a population Pareto fronts analysis for the grasp planning problem," *13th International Conference on Hybrid Intelligent Systems, HIS 2013*, pp. 203–208, Oct. 2014, doi: 10.1109/HIS.2013.6920483.
- [13] M. Jiang, Z. Wang, L. Qiu, S. Guo, X. Gao, and K. C. Tan, "A Fast Dynamic Evolutionary Multiobjective Algorithm via Manifold Transfer Learning," *IEEE Transactions on Cybernetics*, vol. 51, no. 7, pp. 3417–3428, May 2020, doi: 10.1109/TCYB.2020.2989465.
- [14] C. A. Coello Coello and M. S. Lechuga, "MOPSO: A proposal for multiple objective particle swarm optimization," *Proceedings of the 2002 Congress on Evolutionary Computation, CEC 2002*, vol. 2, pp. 1051–1056, 2002, doi: 10.1109/CEC.2002.1004388.
- [15] Q. Zhang and H. Li, "MOEA/D: A multiobjective evolutionary algorithm based on decomposition," *IEEE Transactions on Evolutionary Computation*, vol. 11, no. 6, pp. 712–731, Dec. 2007, doi: 10.1109/TEVC.2007.892759.
- [16] C. K. Goh and K. C. Tan, "A competitive-cooperative coevolutionary paradigm for dynamic multiobjective optimization," *IEEE Transactions on Evolutionary Computation*, vol. 13, no. 1, pp. 103–127, 2009, doi: 10.1109/TEVC.2008.920671.
- [17] A. Zhou, Y. Jin, and Q. Zhang, "A Population prediction strategy for evolutionary dynamic multiobjective optimization," *IEEE Transactions on Cybernetics*, vol. 44, no. 1, pp. 40–53, Jan. 2014, doi: 10.1109/TCYB.2013.2245892.
- [18] K. Deb, U. B. Rao N., and S. Karthik, "Dynamic multi-objective optimization and decision-making using modified NSGA-II: A case study on hydro-thermal power scheduling," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2007, vol. 4403 LNCS, pp. 803–817, doi: 10.1007/978-3-540-70928-2_60.
- [19] S. Jiang and S. Yang, "A Steady-State and Generational Evolutionary Algorithm for Dynamic Multiobjective Optimization," *IEEE Transactions on Evolutionary Computation*, vol. 21, no. 1, pp. 65–82, Feb. 2017, doi: 10.1109/TEVC.2016.2574621.
- [20] K. B. Lee and J. H. Kim, "DMOPSO: Dual multi-objective particle swarm optimization," *Proceedings of the 2014 IEEE Congress on Evolutionary Computation, CEC 2014*, pp. 3096–3102, Sep. 2014, doi: 10.1109/CEC.2014.6900464.
- [21] A. Muruganantham, K. C. Tan, and P. Vadakkepat, "Evolutionary Dynamic Multiobjective Optimization Via Kalman Filter Prediction," *IEEE Transactions on Cybernetics*, vol. 46, no. 12, pp. 2862–2873, Dec. 2016, doi: 10.1109/TCYB.2015.2490738.
- [22] L. Cao, L. Xu, E. D. Goodman, C. Bao, and S. Zhu, "Evolutionary Dynamic Multiobjective Optimization Assisted by a Support Vector Regression Predictor," *IEEE Transactions on Evolutionary Computation*, vol. 24, no. 2, pp. 305–319, Apr. 2020, doi: 10.1109/TEVC.2019.2925722.
- [23] M. Jiang, Z. Huang, L. Qiu, W. Huang, and G. G. Yen, "Transfer Learning-Based Dynamic Multiobjective Optimization Algorithms," *IEEE Transactions on Evolutionary Computation*, vol. 22, no. 4, pp. 501–514, Aug. 2018, doi: 10.1109/TEVC.2017.2771451.
- [24] S. Biswas, S. Das, P. N. Suganthan, and C. A. C. Coello, "Evolutionary multiobjective optimization in dynamic environments: A set of novel benchmark functions," in *Proceedings of the 2014 IEEE Congress on Evolutionary Computation, CEC 2014*, Sep. 2014, pp. 3192–3199, doi: 10.1109/CEC.2014.6900487.
- [25] S. Nguyen, M. Zhang, M. Johnston, and K. C. Tan, "Automatic design of scheduling policies for dynamic multi-objective job shop scheduling via cooperative coevolution genetic programming," *IEEE Transactions on Evolutionary Computation*, vol. 18, no. 2, pp. 193–208, 2014, doi: 10.1109/TEVC.2013.2248159.
- [26] M. Kim, T. Hiroyasu, M. Miki, and S. Watanabe, "SPEA2+: Improving the Performance of the Strength Pareto Evolutionary Algorithm 2," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 3242, pp. 742–751, 2004, doi: 10.1007/978-3-540-30217-9_75.

- [27] S. Seifollahi-Aghmiuni and O. Bozorg Haddad, "Multi Objective Optimization with a New Evolutionary Algorithm," *Water Resources Management* 2018 32:12, vol. 32, no. 12, pp. 4013–4030, Jul. 2018, doi: 10.1007/S11269-018-2034-1.
- [28] R. Azzouz, S. Bechikh, and L. ben Said, "A dynamic multi-objective evolutionary algorithm using a change severity-based adaptive population management strategy," *Soft Computing* 2015 21:4, vol. 21, no. 4, pp. 885–906, Aug. 2015, doi: 10.1007/S00500-015-1820-4.
- [29] M. Cámara, J. Ortega, and F. J. Toro, "Parallel processing for multi-objective optimization in dynamic environments," *Proceedings - 21st International Parallel and Distributed Processing Symposium, IPDPS 2007; Abstracts and CD-ROM*, 2007, doi: 10.1109/IPDPS.2007.370433.
- [30] S. Jiang, S. Yang, X. Yao, K. Tan, M. Kaiser, and N. Krasnogor, "Benchmark Problems for CEC2018 Competition on Dynamic Multiobjective Optimisation," 2018.
- [31] R. Azzouz, S. Bechikh, and L. ben Said, "Multi-objective optimization with dynamic constraints and objectives: New challenges for evolutionary algorithms," *GECCO 2015 - Proceedings of the 2015 Genetic and Evolutionary Computation Conference*, pp. 615–622, Jul. 2015, doi: 10.1145/2739480.2754708.
- [32] E. J. Hughes, "MSOPS-II: A general-purpose many-objective optimiser," in *2007 IEEE Congress on Evolutionary Computation, CEC 2007*, 2007, pp. 3944–3951, doi: 10.1109/CEC.2007.4424985.
- [33] J. J. Durillo and A. J. Nebro, "JMetal: A Java framework for multi-objective optimization," *Advances in Engineering Software*, vol. 42, no. 10, pp. 760–771, Oct. 2011, doi: 10.1016/j.advengsoft.2011.05.014.
- [34] J. Derrac, S. García, D. Molina, and F. Herrera, "A practical tutorial on the use of nonparametric statistical tests as a methodology for comparing evolutionary and swarm intelligence algorithms," *Swarm and Evolutionary Computation*, vol. 1, no. 1, pp. 3–18, Mar. 2011, doi: 10.1016/J.SWEVO.2011.02.002.
- [35] A. M. LYAPUNOV, "The general problem of the stability of motion," <http://dx.doi.org/10.1080/00207179208934253>, vol. 55, no. 3, pp. 531–534, 2007, doi: 10.1080/00207179208934253.
- [36] B. B and D. C., "Stochastic neural network model for spontaneous bursting in hippocampal slices," *Physical review. E, Statistical, nonlinear, and soft matter physics*, vol. 66, no. 5 Pt 1, p. 18, Nov. 2002, doi: 10.1103/PHYSREVE.66.051908.




Ahlem Aboud she is currently a PhD student in computer science in ISITCom, University of Sousse and with the REsearch Group on Intelligent Machines (REGIM-lab) at ENIS Sfax, University of Sfax. She received his engineering degree in 2015 from the ISIMS Sfax. She is currently IEEE student member since October 2015. His research interests include,

dynamic multi-objective optimization problem, evolutionary computation and collective intelligence methods.



Nizar Rokbani (IEEE SM), He is an Assit Prof of Industrial Computing with Institute of Applied Science and technology of Sousse, Tunisia where he is a lecturer since 2014. He graduated in Electrical Engineering from the National Engineering School of Tunis, ENIT in 1995. He obtained a Master degree in industrial computing in 2003 from the National Engineering School of Sfax, ENIS, and a PHD in Electrical Engineering in 2013. He was an automation process engineer until 1998, he was then a technologic trainer at the institute of technological studies of Gabes, occupied a post of training adviser engineer at the national agency of vocational training from 2003 to 2006. His research interests include applications of intelligent techniques such as Swarm intelligence, computational intelligence, fuzzy logic, evolutionary algorithms to robotic systems and industrial processes. Dr. Nizar Rokbani is an IEEE member & volunteer, He participated in funding several society chapters, including RAS and SMC 2009, and OES 2016, he is also the founding counselor of ISSAT Sousse Sb 2015, and Polytech Sousse Sb, 2016. He is The IEEE RAS Tunisia Chair 2015-20120, the chapter was awarded: R8 Outstanding Society Chapter 2016, Best RAS Society Chapter award for 2017, and Outstanding Society chapter award of Tunisia Section for 2017. In 2019, He received the Meritorious Achievement Award in Pre-University Education of the IEEE Educational Activities Board (EAB) for his effort in promoting STEM & Robotics education in tunisia primary schools.



Raja Fdhila she holds an engineering degree in computer science and a Master's degree in automation and signal processing from the National School of Engineers of Tunis in 2005 and 2007 respectively. She obtained her doctorate in computer systems engineering from ENIS Sfax in 2017. She is member of the REGIM-lab at ENIS Sfax. She works mainly in the field of

artificial intelligence, and is particularly interested in multi-objective optimization, collective intelligence, multi-agent systems. She has been an IEEE member since 2008.



Dr. Abdulrahman Qahtani is currently Assistant professor in computer science department at Taif University. Dr. Qahtani received his PhD from Southampton University in 2015. He has extensive experience in software engineering and development process in a distributed domain. His research focused on customization process across organizational boundaries. Recently, he applied machine learning algorithms on software engineering data to predict time and cost estimation for multi-clients projects.



Omar Almutiry received the PhD degree from the University of Southampton, UK, in 2017. Since 2018, he has been with the Applied Computer Science College, King Saud University, Saudi Arabia, where he is currently working as an Assistant Professor with the Department of Applied Computer Sciences. He is also assistant to the General Director of the Almuzahmiyah branch for academic affairs and development. His research areas include data science, health informatics, deep learning applications in healthcare and medical fields.



Habib Dhahri was born in Sidi Bouzid, Tunisia in 1975. He graduated in Computer Science in 2001, obtained his PhD in Computer Science in 2013 from the National Engineering School of Sfax (ENIS). He is now an assistant professor in Computer Science at the King Saud University. His area of interest includes computational intelligence, soft computing techniques and Machine Learning for Healthcare Data. He has authored and co-authored more than 30 publications in journals and conferences. He also serves as a reviewer for several international scientific journals.



Amir Hussain he received his B.Eng (highest 1st Class Honours with distinction) and Ph.D degrees, from the University of Strathclyde, Glasgow, U.K., in 1992 and 1997, respectively. Following postdoctoral and academic positions at the Universities of West of Scotland (1996-98), Dundee (1998-2000) and Stirling (2000-18) respectively, he joined Edinburgh Napier University (in Scotland, UK) in 2018 as Professor and founding Head of the Data Science and Cyber Analytics (DSCA) Research Group (managing 20 academics and research staff). As part of the latter, he is also founding Head of the Cognitive Big Data and Cybersecurity (CogBiD) Research Lab



Adel M. Alimi (S'91–M'96–SM'00) was born in Sfax, Tunisia, in 1966. He received the Degree in electrical engineering in 1990, the Ph.D. degree in electrical and computer engineering from the Polytechnic University of Montreal, Montr ´ eal, QC, ´ Canada, in 1995, and the HDR degree in electrical and computer engineering from the National Engineering School of Sfax, Sfax, in 2000. He is currently a Professor of electrical and computer engineering with the University of Sfax, Sfax. His current research interests include applications of intelligent methods (neural networks, fuzzy logic, and evolutionary algorithms) to pattern recognition, robotic systems, vision systems, industrial processes, intelligent pattern recognition, learning, analysis, and intelligent control of large-scale complex systems. Prof. Alimi is a member of IAPR, INNS, and PRS. He is a member and an Associate Editor of the Editorial Board of many international scientific journals, including Pattern Recognition Letters, Neurocomputing, Neural Processing Letters, International Journal of Image and Graphics, Neural Computing and Applications, International Journal of Robotics and Automation, and International Journal of Systems Science. He was a Guest Editor of several special issues of international journals, including Fuzzy Sets and Systems, Soft Computing, the Journal of Decision Systems, Integrated Computer-Aided Engineering, and Systems Analysis Modeling and Simulations.

TABLE VII. Mean and Standard Deviation Values of all MOEAs over IGD and HVD for UDF, F Functions with Moderate Environmental Changes ($\tau_t = n_t = 10$).

Prob.	QI	Val.	tested Algorithms of Jiang et al. [15]					Additional Tested MOPSO based Algorithms				
			DNSGA-II	dCOEA	PPS	MOEA/D	SGEA	MOPSO	dMOPSO	pbMOPSO	Dynamic-MOPSO	DPb-MOPSO
UDF1	HVD	M.	5.14E-1	7.47E-1	7.97E-1	6.12E-1	5.18E-1	2.99E+0	2.99E+0	5.78E-3	5.01E-3	4.65E-3
		Std.	3.2E-2	3.8E-2	5.2E-2	9.4E-2	5.0E-2	1.2E-5	1.1E-7	3.0E-4	1.8E-5	1.7E-4
	IGD	M.	1.07E-1	2.91E-1	2.67E-1	1.70E-1	1.24E-1	5.52E-3	5.52E-3	9.26E-5	4.97E-5	4.64E-5
		Std.	2.4E-2	2.3E-2	2.2E-2	5.1E-2	3.3E-2	8.2E-11	1.0E-10	5.3E-6	4.1E-7	3.1E-6
UDF2	HVD	M.	5.51E-1	6.13E-1	4.32E-1	5.42E-1	5.10E-1	2.99E+0	2.99E+0	5.80E-3	5.01E-3	4.66E-3
		Std.	2.4E-2	2.8E-2	1.9E-2	1.7E-2	2.5E-2	9.5E-6	1.1E-7	3.3E-4	1.9E-5	2.7E-4
	IGD	M.	1.12E-1	1.83E-1	2.54E-2	1.16E-1	8.95E-2	5.53E-3	5.53E-3	9.36E-5	4.94E-5	4.67E-5
		Std.	1.0E-2	2.0E-2	5.0E-3	9.5E-3	1.3E-2	1.6E-10	0.0E+0	5.9E-6	4.6E-7	3.0E-6
UDF3	HVD	M.	1.22E+0	1.23E+0	1.73E+0	1.22E+0	1.22E+0	5.05E-3	5.04E-3	4.50E-3	4.92E-3	4.63E-3
		Std.	1.9E-3	7.0E-2	3.1E-4	2.4E-3	2.4E-3	1.4E-5	1.1E-7	2.4E-4	7.1E-6	2.4E-4
	IGD	M.	6.06E-1	6.51E-1	4.55E+0	6.06E-1	6.06E-1	1.52E-5	1.48E-5	6.17E-5	4.55E-5	4.73E-5
		Std.	3.3E-6	7.7E-2	1.1E+0	6.3E-5	7.4E-6	8.1E-8	5.6E-10	3.8E-6	3.7E-7	2.9E-6
UDF4	HVD	M.	3.47E-1	5.06E-1	3.77E-1	6.41E-1	3.32E-1	2.44E-2	2.39E-2	2.33E-3	6.78E-3	6.97E-4
		Std.	8.3E-2	3.7E-2	2.1E-2	1.9E-1	7.1E-2	1.8E-5	1.6E-7	3.2E-4	1.1E-4	2.8E-4
	IGD	M.	1.70E-1	2.87E-1	1.85E-1	3.19E-1	1.68E-1	8.18E-5	8.18E-5	6.36E-5	5.21E-5	4.81E-5
		Std.	4.7E-2	2.8E-2	8.2E-3	1.3E-1	4.4E-2	2.1E-8	1.8E-10	3.2E-6	1.0E-6	1.8E-6
UDF5	HVD	M.	2.78E-1	3.98E-1	2.70E-1	3.65E-1	2.72E-1	2.44E-2	2.39E-2	2.24E-3	6.74E-3	6.49E-4
		Std.	2.5E-2	3.3E-2	1.5E-2	2.7E-2	1.8E-2	1.7E-5	1.5E-7	2.7E-4	1.4E-4	2.8E-4
	IGD	M.	1.18E-1	2.05E-1	2.89E-2	1.61E-1	1.00E-1	8.21E-5	8.21E-5	6.38E-5	5.14E-5	4.68E-5
		Std.	1.2E-2	3.5E-2	1.3E-2	1.4E-2	1.1E-2	1.6E-8	2.0E-10	3.1E-6	1.3E-6	2.2E-6
UDF6	HVD	M.	9.34E-1	1.26E+0	1.83E+0	1.21E+0	9.77E-1	3.96E+2	3.99E+2	1.50E-2	1.83E-2	5.86E-3
		Std.	1.5E-1	7.2E-2	1.0E-2	1.4E-1	2.0E-1	6.7E-3	3.6E-2	1.8E-2	9.7E-3	1.6E-3
	IGD	M.	4.57E-1	8.04E-1	1.34E+0	5.31E-1	6.68E-1	2.88E+0	2.88E+0	8.63E-4	1.93E-3	4.05E-4
		Std.	8.7E-2	1.0E-1	7.1E-2	1.6E-1	2.0E-1	2.3E-6	1.8E-6	4.5E-4	2.5E-4	1.2E-4
UDF7	HVD	M.	2.40E+0	1.91E+0	2.06E+0	2.32E+0	2.06E+0	4.62E+0	1.57E+1	1.93E+0	1.43E-1	1.93E+0
		Std.	7.4E-2	1.7E-1	5.4E-2	2.4E-1	1.2E-1	3.0E-2	5.6E-1	1.2E-1	1.2E-1	1.2E+0
	IGD	M.	5.24E-1	8.40E-1	6.68E-1	5.08E-1	5.08E-1	3.73E-1	3.81E-1	1.27E-4	1.93E-3	7.58E-4
		Std.	2.2E-2	6.4E-2	4.4E-2	1.4E-1	4.2E-2	2.3E-6	7.7E-3	1.6E-5	3.0E-4	4.8E-5
F5	HVD	M.	1.25E+0	1.10E+0	4.01E-1	1.19E+0	7.16E-1	4.73E+3	5.23E+3	1.31E+0	4.86E-2	2.99E-1
		Std.	2.5E-2	1.6E-1	9.9E-2	2.9E-2	8.2E-2	9.7E+29	9.7E+2	1.2E+0	6.4E-2	2.4E-1
	IGD	M.	7.82E-1	8.01E-1	2.69E-1	6.88E-1	4.41E-1	4.80E+0	6.62E+0	9.71E-3	2.75E-3	2.72E-3
		Std.	3.9E-2	2.2E-1	4.3E-2	4.1E-2	4.5E-2	8.2E-2	0.0E+0	5.8E-3	8.9E-4	6.5E-4
F6	HVD	M.	4.76E-1	9.22E-1	4.92E-1	5.75E-1	3.60E-1	9.86E+3	1.53E+1	1.19E+1	8.87E-2	5.99E-2
		Std.	3.7E-2	1.0E-1	1.5E-1	7.5E-2	2.5E-2	1.4E+30	1.2E+2	1.8E+1	2.5E-1	5.5E-2
	IGD	M.	3.02E-1	6.57E-1	2.60E-1	3.44E-1	2.90E-1	6.73E-1	6.95E-1	5.76E-2	1.53E-3	1.49E-3
		Std.	2.1E-2	1.3E-1	6.5E-2	5.6E-2	1.3E-2	3.6E-3	1.8E-3	1.9E-2	1.9E-3	4.1E-4
F7	HVD	M.	6.49E-1	1.22E+0	4.49E-1	6.50E-1	6.05E-1	7.07E+3	1.13E+3	1.05E+1	3.63E-1	5.07E+0
		Std.	1.0E-2	1.5E-1	1.4E-1	2.8E-2	1.5E-2	6.0E+3	0.0E+0	1.5E+1	6.0E-1	1.4E+1
	IGD	M.	4.19E-1	1.56E+0	2.63E-1	4.18E-1	4.47E-1	4.00E-1	4.26E-1	2.96E-2	6.41E-3	9.97E-3
		Std.	6.9E-3	6.0E-1	7.1E-2	6.0E-2	1.0E-2	1.5E-4	1.3E-8	7.3E-3	2.3E-3	5.9E-3
F8	HVD	M.	1.06E+0	8.85E-1	1.34E+0	1.06E+0	4.57E-1	1.67E+4	1.34E+4	5.85E-3	3.84E-2	4.55E-3
		Std.	4.6E-2	1.2E-1	1.0E-1	6.6E-2	3.2E-2	1.7E+4	1.1E+4	2.7E-3	4.4E-3	1.2E-3
	IGD	M.	4.86E-1	4.00E-1	4.56E-1	5.49E-1	2.51E-1	1.15E-3	6.27E-3	3.41E-4	6.84E-4	1.93E-4
		Std.	1.3E-2	6.7E-2	3.1E-2	2.3E-2	1.4E-1	8.1E-5	7.2E-4	1.4E-5	2.4E-5	5.1E-6
F9	HVD	M.	8.87E-1	1.07E+0	6.88E-1	8.58E-1	5.76E-1	4.98E+3	2.62E+3	1.45E+0	8.42E-2	2.22E-1
		Std.	3.4E-2	1.9E-1	7.7E-2	4.6E-2	7.0E-2	8.4E+29	9.7E-5	1.1E+0	1.0E-1	3.5E-1
	IGD	M.	4.74E-1	8.87E-1	3.59E-1	4.29E-1	3.65E-1	1.46E+0	1.99E+0	9.65E-3	1.86E-3	2.99E-3
		Std.	2.1E-2	3.3E-1	4.4E-2	2.4E-2	3.4E-2	1.1E-1	0.0E+0	3.4E-3	7.2E-4	1.3E-3
F10	HVD	M.	1.22E+0	8.58E-1	5.38E-1	1.05E+0	5.77E-1	1.23E+3	1.98E+3	1.33E+0	6.69E-2	2.85E-1
		Std.	5.0E-2	8.8E-2	1.2E-1	5.9E-2	2.3E-2	1.2E+3	0.0E+0	1.0E+0	6.0E-2	2.1E-1
	IGD	M.	1.05E+0	5.76E-1	3.79E-1	6.39E-1	3.80E-1	1.29E+0	1.76E+0	7.53E-3	2.35E-3	3.02E-3
		Std.	1.5E-1	8.1E-2	8.7E-2	8.6E-2	1.3E-2	1.9E-2	5.2E-8	3.0E-3	5.9E-4	8.4E-4

TABLE VIII. Mean and Standard Deviation Values over MIGD for FDA and dMOP Functions with Severe, Moderate and Slight Environmental Changes.

Prob.	(τ_t, n_t)	Values	Transfer Learning-based Methods Tested in [14]						MOPSO-based Methods				
			MMTL-MOEA/D	KF-MOEA/D	PPS-MOEA/D	SVR-MOEA/D	Tr-MOEA/D	RI-MOEA/D	MOPSO	dMOPSO	pbMOPSO	Dynamic-MOPSO	DPb-MOPSO
FDA1	(5,10)	M.	0.1214	0.4670	0.2485	0.3745	0.3381	0.3166	1.97E-4	5.85E-04	1.13E-2	8.77E-3	1.68E-2
		Std.	1.07E-1	3.38E-1	1.40E-1	3.12E-1	2.14E-1	3.58E-1	3.6E-6	2.2E-5	4.6E-3	3.6E-3	8.1E-3
	(10,10)	M.	0.1199	0.2659	0.2141	0.2332	0.3592	0.2733	1.74E-4	5.52E-4	5.94E-3	1.40E-3	1.72E-3
		Std.	7.93E-2	1.23E-1	1.22E-1	1.66E-1	3.41E-1	1.83E-1	1.4E-7	3.8E-6	3.3E-3	8.1E-4	9.7E-4
	(20,10)	M.	0.0658	0.1635	0.1018	0.2168	0.1778	0.1959	1.84E-4	5.22E-4	8.80E-3	1.79E-4	1.00E-4
		Std.	3.64E-2	9.12E-2	1.25E-1	2.03E-1	2.47E-1	2.36E-1	6.1E-6	1.6E-7	6.7E-3	1.6E-4	1.1E-4
FDA2	(5,10)	M.	0.0740	0.1695	0.1023	0.2062	0.1241	0.2127	8.97E-3	4.35E-2	3.46E-3	4.01E-3	3.27E-3
		Std.	3.53E-2	6.51E-2	1.09E-1	1.66E-1	4.72E-2	1.49E-1	7.4E-04	2.9E-5	8.7E-4	1.0E-3	8.6E-4
	(10,10)	M.	0.0842	0.1906	0.1200	0.1965	0.1243	0.2528	8.30E-3	3.61E-2	3.41E-3	3.06E-3	2.88E-3
		Std.	3.34E-2	7.00E-2	2.00E-1	1.31E-1	4.27E-2	1.34E-1	6.1E-4	2.2E-6	5.6E-4	1.1E-3	1.1E-3
	(20,10)	M.	0.0662	0.1335	0.0719	0.1810	0.0785	0.1678	7.92E-3	3.61E-2	7.27E-3	1.95E-3	2.54E-3
		Std.	3.63E-2	4.02E-2	9.86E-2	1.88E-1	3.37E-2	1.44E-1	1.9E-4	2.2E-3	2.0E-3	6.3E-4	8.1E-4
FDA3	(5,10)	M.	0.1428	0.2685	0.3142	0.2250	0.2925	0.3493	2.50E-2	9.52E-2	2.47E-2	9.26E-3	1.52E-2
		Std.	1.11E-1	2.66E-1	2.14E-1	1.81E-1	2.44E-1	4.27E-1	4.9E-5	7.0E-2	2.2E-2	3.4E-3	5.6E-3
	(10,10)	M.	0.0914	0.1429	0.2072	0.1994	0.252	0.2530	3.32E-2	9.50E-2	2.83E-2	5.54E-3	3.96E-3
		Std.	9.77E-2	7.49E-2	1.38E-1	1.93E-1	2.75E-1	3.05E-1	9.7E-6	6.2E-2	2.8E-2	2.9E-3	1.7E-3
	(20,10)	M.	0.0749	0.1349	0.2286	0.1409	0.1442	0.1361	3.28E-2	1.02E-1	1.35E-1	1.48E-2	8.36E-3
		Std.	5.08E-2	1.02E-1	1.76E-1	1.94E-1	8.24E-2	7.58E-2	2.1E-5	6.9E-2	9.8E-2	1.0E-2	5.7E-3
FDA4	(5,10)	M.	0.1523	0.1578	0.2114	0.1866	0.2335	0.1702	2.92E-3	5.93E-2	8.48E-4	9.31E-4	3.44E-4
		Std.	9.67E-2	7.21E-2	1.48E-1	7.83E-2	1.21E-1	4.11E-2	9.6E-5	1.4E-3	4.7E-4	1.3E-4	2.7E-5
	(10,10)	M.	0.1594	0.1311	0.1848	0.1709	0.2180	0.1787	1.81E-3	4.18E-2	1.28E-3	5.78E-4	1.43E-4
		Std.	5.77E-2	4.03E-2	1.75E-1	5.15E-2	1.05E-1	8.33E-2	5.0E-5	3.9E-3	5.3E-4	4.1E-5	8.2E-6
	(20,10)	M.	0.1336	0.125	0.1765	0.1234	0.1998	0.1253	1.92E-3	4.19E-2	5.62E-3	4.34E-4	9.60E-5
		Std.	3.89E-2	4.06E-2	2.02E-1	2.36E-2	9.90E-2	2.66E-2	2.0E-6	2.2E-3	1.8E-3	1.5E-5	5.7E-6
FDA5	(5,10)	M.	0.2081	0.2683	0.2036	0.2120	0.1737	0.2184	3.88E-2	1.42E-1	6.62E-3	1.05E-2	8.16E-3
		Std.	6.47E-2	8.65E-2	7.28E-2	1.05E-1	4.19E-2	1.01E-1	3.1E-4	1.3E-2	1.4E-3	1.8E-3	1.2E-3
	(10,10)	M.	0.1892	0.2369	0.2305	0.1862	0.1752	0.2140	2.87E-2	9.97E-2	1.50E-2	3.30E-3	1.88E-3
		Std.	5.19E-2	7.79E-2	1.04E-1	9.43E-2	4.89E-2	1.01E-1	2.1E-5	8.3E-3	9.4E-3	7.1E-4	2.8E-4
	(20,10)	M.	0.1642	0.1818	0.1895	0.1729	0.1879	0.1968	5.10E-2	1.64E-1	2.35E-2	1.77E-3	7.48E-4
		Std.	6.06E-2	5.76E-2	8.11E-2	9.00E-2	4.56E-2	7.64E-2	1.8E-3	9.6E-3	1.0E-2	3.2E-4	6.6E-5
dMOP1	(5,10)	M.	0.0589	0.1857	0.1269	0.2237	0.2345	0.2421	3.35E-3	3.35E-3	1.76E-4	1.04E-4	1.02E-4
		Std.	3.82E-2	9.13E-2	2.37E-1	8.15E-2	6.53E-2	1.33E-1	5.1E-7	1.0E-6	1.4E-5	3.4E-6	5.0E-6
	(10,10)	M.	0.0543	0.1565	0.0965	0.3266	0.2507	0.2734	2.48E-3	1.59E-2	1.97E-4	8.40E-5	6.46E-5
		Std.	5.52E-2	7.39E-2	2.18E-1	1.99E-1	8.15E-2	1.46E-1	2.6E-7	1.3E-2	2.2E-5	1.7E-6	2.5E-6
	(20,10)	M.	0.0252	0.1145	0.0690	0.1938	0.1204	0.1606	3.47E-3	3.47E-3	1.35E-4	7.67E-5	5.51E-5
		Std.	9.00E-3	5.03E-2	1.95E-1	1.25E-1	9.13E-2	1.63E-1	1.1E-6	4.0E-7	8.6E-6	1.1E-6	1.6E-6
dMOP2	(5,10)	M.	0.0494	0.2258	0.1265	0.1302	0.1311	0.1505	1.77E-4	1.72E-2	1.62E-3	4.11E-3	3.88E-3
		Std.	1.59E-2	1.31E-1	1.34E-1	8.99E-2	6.02E-2	1.58E-1	1.9E-6	1.7E-2	3.5E-3	5.1E-3	6.0E-3
	(10,10)	M.	0.0717	0.1646	0.1102	0.1142	0.1157	0.1586	1.53E-4	1.50E-4	3.70E-4	5.64E-4	6.44E-4
		Std.	4.20E-2	8.01E-2	1.00E-1	8.98E-2	6.03E-2	1.32E-1	1.2E-7	1.9E-8	8.6E-5	3.8E-5	7.8E-5
	(20,10)	M.	0.0261	0.120	0.0771	0.0541	0.0795	0.0609	1.50E-4	1.49E-4	2.81E-4	2.35E-3	2.36E-3
		Std.	8.53E-3	8.70E-2	1.12E-1	4.82E-2	4.89E-2	4.64E-2	2.1E-7	1.6E-7	1.1E-4	9.6E-4	8.9E-4
dMOP3	(5,10)	M.	0.0593	0.1132	0.1136	0.0987	0.1203	0.0729	7.83E-2	8.85E-2	1.10E-1	2.18E-1	8.56E-2
		Std.	3.10E-2	8.72E-2	8.84E-2	7.16E-2	4.29E-2	3.87E-2	2.8E-3	3.7E-3	1.6E-2	7.2E-2	3.3E-2
	(10,10)	M.	0.0683	0.1431	0.0736	0.0897	0.1057	0.0850	1.59E-1	1.88E-1	9.63E-2	1.04E-1	7.69E-2
		Std.	4.26E-2	5.58E-2	6.38E-2	4.56E-2	5.18E-2	5.68E-2	8.8E-3	6.9E-3	2.4E-2	3.0E-2	1.3E-2
	(20,10)	M.	0.0260	0.0730	0.0563	0.0510	0.0575	0.0401	6.38E-1	9.05E-1	1.58E-1	3.47E-1	1.62E-1
		Std.	5.56E-3	4.91E-2	6.87E-2	3.52E-2	3.22E-2	2.57E-2	1.8E-3	3.3E-2	3.1E-2	4.1E-2	5.1E-2

TABLE IX. Mean and Standard Deviation Values of all MOEAs over IGD for FDA and dMOP Functions with Severe, Moderate and Slight Environmental Changes.

Prob.	(τ_t, n_t)	Values	tested Algorithms of Jiang et al. [15]					MOPSO-based Algorithms				
			DNSGA-II	dCOEA	PPS	MOEA/D	SGEA	MOPSO	dMOPSO	pbMOPSO	Dynamic-MOPSO	DPb-MOPSO
FDA1	(5, 10)	M.	6.40E-1	6.36E-2	2.08E-1	3.56E-1	3.41E-2	6.05E-5	1.68E-4	1.13E-2	8.77E-3	1.68E-2
		Std.	9.8E-2	1.1E-2	8.4E-2	4.9E-2	8.0E-3	2.0E-6	8.8E-6	4.6E-3	3.6E-3	8.1E-3
	(10, 10)	M.	5.82E-2	4.13E-2	4.27E-2	1.21E-1	1.48E-2	5.19E-5	1.45E-4	5.94E-3	1.40E-3	1.72E-3
		Std.	3.8E-3	6.5E-3	1.9E-2	1.1E-2	2.0E-3	1.1E-6	5.1E-6	3.3E-3	8.1E-4	9.7E-4
	(20, 10)	M.	4.14E-2	2.39E-2	1.62E-2	4.04E-2	7.55E-3	3.90E-5	1.11E-4	8.80E-3	1.79E-4	1.00E-4
		Std.	4.2E-3	2.2E-3	7.9E-3	2.2E-3	1.4E-3	4.8E-7	2.4E-6	6.7E-3	1.6E-4	1.1E-4
FDA2	(5, 10)	M.	2.85E-2	7.28E-2	8.13E-2	8.40E-2	1.50E-2	7.00E-3	4.18E-2	3.46E-3	4.01E-3	3.27E-3
		Std.	2.4E-3	3.8E-2	3.0E-2	1.3E-2	1.6E-3	1.2E-3	1.7E-3	8.7E-4	1.0E-3	8.6E-4
	(10, 10)	M.	1.68E-3	4.73E-2	6.35E-2	3.38E-2	9.11E-3	4.16E-3	2.32E-2	3.41E-3	3.06E-3	2.88E-3
		Std.	9.0E-4	3.3E-2	1.0E-2	8.8E-3	6.3E-4	4.7E-4	1.4E-3	5.6E-4	1.1E-3	1.1E-3
	(20, 10)	M.	6.51E-3	3.24E-2	6.27E-2	1.64E-2	6.32E-3	1.43E-3	6.46E-3	7.27E-3	1.95E-3	2.54E-3
		Std.	5.26E-4	4.60E-2	9.07E-3	4.99E-3	4.07E-4	2.0E-5	3.1E-4	2.0E-3	6.3E-4	8.1E-4
FDA3	(5, 10)	M.	2.63E-1	2.63E-1	4.43E-1	2.47E-1	6.25E-2	4.23E-2	5.19E-2	2.47E-2	9.26E-3	1.52E-2
		Std.	6.0E-2	3.5E-2	1.1E-1	2.3E-2	3.8E-2	1.3E-4	3.6E-2	2.2E-2	3.4E-3	5.6E-3
	(10, 10)	M.	1.08E-1	1.95E-1	2.19E-1	1.30E-1	4.03E-2	3.97E-2	5.68E-2	2.83E-2	5.54E-3	3.96E-3
		Std.	3.3E-2	3.2E-2	1.8E-2	2.5E-2	2.9E-2	3.6E-5	4.4E-2	2.8E-2	2.9E-3	1.7E-3
	(20, 10)	M.	9.03E-2	1.26E-1	1.92E-1	5.45E-2	3.52E-2	3.47E-2	4.84E-2	1.35E-1	1.48E-2	8.36E-3
		Std.	2.8E-3	3.1E-2	2.4E-2	8.3E-3	2.9E-2	5.2E-6	3.5E-2	9.8E-2	1.0E-2	5.7E-3
FDA4	(5, 10)	M.	1.49E+0	1.62E-1	3.07E-1	1.36E+0	4.60E-1	6.19E-4	1.28E-2	8.48E-4	9.31E-4	3.44E-4
		Std.	1.2E-1	6.1E-3	1.9E-2	1.6E-1	6.6E-2	1.8E-5	1.7E-3	4.7E-4	1.3E-4	2.7E-5
	(10, 10)	M.	7.63E-1	1.24E-1	2.11E-1	5.77E-1	1.83E-1	6.20E-4	1.25E-2	1.28E-3	5.78E-4	1.43E-4
		Std.	4.4E-2	4.5E-3	2.0E-2	5.4E-2	6.6E-3	1.6E-5	1.8E-3	5.3E-4	4.1E-5	8.2E-6
	(20, 10)	M.	2.62E-1	1.03E-1	1.79E-1	2.22E-1	1.26E-1	3.82E-4	8.17E-3	5.62E-3	4.34E-4	9.60E-5
		Std.	1.6E-2	1.7E-3	3.0E-3	1.3E-2	1.5E-3	1.4E-5	1.2E-3	1.8E-3	1.5E-5	5.7E-6
FDA5	(5, 10)	M.	1.76E+0	4.33E-1	6.55E-1	1.57E+0	5.23E-1	2.50E-2	7.21E-2	6.62E-3	1.05E-2	8.16E-3
		Std.	1.0E-1	4.6E-2	3.1E-2	1.3E-1	3.3E-2	1.8E-4	6.0E-3	1.4E-3	1.8E-3	1.2E-3
	(10, 10)	M.	1.02E+0	3.62E-1	4.80E-1	8.19E-1	3.62E-1	2.16E-2	6.08E-2	1.50E-2	3.30E-3	1.88E-3
		Std.	5.4E-2	4.0E-2	3.5E-2	6.0E-2	8.5E-3	2.0E-4	3.6E-3	9.4E-3	7.1E-4	2.8E-4
	(20, 10)	M.	4.88E-1	3.10E-1	3.71E-1	4.07E-1	3.09E-1	1.42E-2	3.89E-2	2.35E-2	1.77E-3	7.48E-4
		Std.	1.2E-2	2.7E-2	1.2E-2	1.4E-2	2.2E-3	1.3E-4	3.5E-3	1.0E-2	3.2E-4	6.6E-5
dMOP1	(5, 10)	M.	1.31E-1	6.95E-2	4.15E-1	1.36E-2	1.12E-2	4.06E-3	4.39E-3	1.76E-4	1.04E-4	1.02E-4
		Std.	1.1E-2	1.4E-2	7.4E-1	9.0E-3	8.1E-3	2.8E-7	1.8E-3	1.4E-5	3.4E-6	5.0E-6
	(10, 10)	M.	8.83E-3	3.93E-2	5.09E-2	9.39E-3	8.24E-3	2.02E-3	2.29E-3	1.97E-4	8.40E-5	6.46E-5
		Std.	5.0E-3	6.2E-3	9.3E-2	4.3E-3	5.3E-3	2.2E-7	1.4E-3	2.2E-5	1.7E-6	2.5E-6
	(20, 10)	M.	7.39E-3	1.88E-2	4.39E-2	7.17E-3	6.54E-3	2.71E-3	2.71E-3	1.35E-4	7.67E-5	5.51E-5
		Std.	3.2E-3	2.3E-3	8.4E-2	2.7E-3	3.0E-3	1.3E-7	1.0E-7	8.6E-6	1.1E-6	1.6E-6
dMOP2	(5, 10)	M.	6.87E-1	1.20E-1	1.56E-1	4.91E-1	3.02E-2	1.59E-3	4.19E-3	1.62E-3	4.11E-3	3.88E-3
		Std.	7.5E-2	2.0E-2	1.8E-2	4.1E-2	3.4E-3	6.0E-7	6.6E-3	3.5E-3	5.1E-3	6.0E-3
	(10, 10)	M.	1.18E-1	7.32E-2	4.28E-1	1.88E-1	1.21E-2	6.33E-4	2.95E-3	3.70E-4	5.64E-4	6.44E-4
		Std.	9.4E-3	8.9E-3	1.7E-2	1.9E-2	5.7E-4	2.0E-6	8.7E-3	8.6E-5	3.8E-5	7.8E-5
	(20, 10)	M.	1.57E-1	3.46E-2	2.02E-2	5.63E-2	6.32E-3	1.92E-3	2.70E-3	2.81E-4	2.35E-3	2.36E-3
		Std.	6.70E-4	4.32E-3	2.49E-3	3.91E-3	1.74E-4	3.7E-7	4.2E-3	1.1E-4	9.6E-4	8.9E-4
dMOP3	(5, 10)	M.	5.62E-1	4.95E-2	1.76E-1	3.42E-1	1.81E-1	9.13E-1	1.19E+0	1.10E-1	2.18E-1	8.56E-2
		Std.	3.9E-2	4.8E-3	8.0E-2	1.9E-2	9.6E-2	2.9E-1	5.2E-2	1.6E-2	7.2E-2	3.3E-2
	(10, 10)	M.	2.00E-1	2.95E-2	1.13E-1	1.68E-1	1.32E-1	2.67E-1	2.95E-1	9.63E-2	1.04E-1	7.69E-2
		Std.	1.5E-2	2.4E-3	1.2E-2	1.0E-2	1.3E-2	2.0E-2	4.2E-3	2.4E-2	3.0E-2	1.3E-2
	(20, 10)	M.	1.07E-1	1.63E-2	8.99E-2	6.27E-2	8.15E-2	5.04E+0	8.88E+0	1.58E-1	3.47E-1	1.62E-1
		Std.	8.50E-3	1.71E-3	6.74E-3	4.37E-3	1.25E-2	2.7E+0	1.9E-1	3.1E-2	4.1E-2	5.1E-2

TABLE X. Mean and Standard Deviation Values of all MOEAs over HVD for FDA and dMOP Functions with Severe, Moderate and Slight Changes.

Prob.	$(\tau t, nt)$	Val.	Tested Algorithms of Jiang et al. [15]					MOPSO-based Algorithms				
			DNSGA-II	dCOEA	PPS	MOEA/D	SGEA	MOPSO	dMOPSO	pbMOPSO	Dynamic-MOPSO	DPb-MOPSO
FDA1	(5, 10)	M.	8.70E-1	1.25E-1	3.87E-1	7.70E-1	8.14E-2	3.83E-3	4.48E-3	1.14E-1	1.51E-1	1.56E-1
		Std.	7.5E-2	2.4E-2	1.0E-1	9.4E-2	2.0E-2	1.6E-4	6.3E-5	5.2E-2	5.2E-2	6.9E-2
	(10, 10)	M.	1.36E-1	8.52E-2	2.97E-1	2.88E-1	3.81E-2	4.14E-3	4.56E-3	1.03E-1	6.22E-2	6.65E-2
		Std.	1.7E-2	2.0E-2	1.6E-2	2.9E-2	1.4E-2	6.4E-5	4.0E-5	6.0E-2	3.3E-2	3.7E-2
	(20, 10)	M.	3.55E-2	5.46E-2	2.84E-1	1.34E-1	2.02E-2	4.30E-3	4.65E-3	8.36E-2	6.67E-3	6.57E-3
		Std.	1.3E-2	1.6E-2	1.5E-2	9.2E-3	1.2E-2	3.6E-5	1.7E-5	6.9E-2	7.7E-3	1.3E-2
FDA2	(5, 10)	M.	4.71E-2	1.85E-1	3.21E-1	1.30E-1	2.54E-2	8.99E+0	9.96E+0	6.75E+0	3.04E+0	8.83E+0
		Std.	1.4E-2	6.4E-2	6.7E-2	2.5E-2	1.3E-2	8.5E-1	1.4E+0	9.9E+0	2.9E+0	9.7E+0
	(10, 10)	M.	2.05E-2	1.24E-1	2.66E-1	6.29E-2	1.67E-2	8.54E+0	9.72E+0	1.60E+1	2.55E+0	1.29E+1
		Std.	1.4E-2	4.6E-2	1.4E-2	1.8E-2	1.4E-2	3.2E-1	1.4E+0	6.4E+0	1.6E+0	1.5E+1
	(20, 10)	M.	1.33E-2	8.64E-2	2.55E-1	3.24E-2	1.23E-2	8.43E+0	8.19E+0	8.80E+0	1.23E+0	7.70E+0
		Std.	1.4E-2	7.0E-2	9.4E-3	1.4E-2	1.4E-2	1.8E-2	1.1E+0	1.3E+1	7.4E-1	8.8E+0
FDA3	(5, 10)	M.	1.54E+0	1.45E+0	1.75E+0	1.66E+0	9.80E-1	4.86E-1	4.27E-1	2.62E-1	1.13E-1	9.59E-2
		Std.	1.6E-1	8.5E-2	1.8E-1	7.8E-2	1.0E-1	8.2E-3	2.6E-1	1.6E-1	6.3E-2	6.4E-2
	(10, 10)	M.	1.09E+0	1.32E+0	1.16E+0	1.12E+0	9.24E-1	5.62E-1	5.27E-1	3.21E-1	8.48E-2	5.69E-2
		Std.	9.9E-2	7.7E-2	4.6E-2	9.3E-2	8.2E-2	6.5E-4	1.9E-1	2.3E-1	5.0E-2	3.2E-2
	(20, 10)	M.	1.04E+0	1.15E+0	1.03E+0	9.47E-1	9.11E-1	5.54E-1	4.13E-1	5.74E-1	2.64E-1	1.26E-1
		Std.	7.9E-2	6.6E-2	7.4E-2	2.2E-2	8.1E-2	2.1E-4	3.6E-1	2.7E-1	1.8E-1	1.1E-1
FDA4	(5, 10)	M.	2.05E+0	3.80E-1	7.77E-1	3.97E+0	1.03E+0	4.17E-2	6.51E+1	3.23E-2	2.13E-2	3.20E-3
		Std.	2.0E-1	2.6E-2	6.8E-2	1.6E+0	1.3E-1	4.6E-3	7.3E+0	4.8E-2	1.1E-2	1.5E-3
	(10, 10)	M.	1.58E+0	2.70E-1	4.34E-1	1.24E+0	2.74E-1	4.26E-2	6.92E+1	3.11E-2	2.28E-2	3.00E-3
		Std.	6.6E-2	3.5E-2	7.2E-2	1.3E-1	2.4E-2	5.0E-3	8.2E+0	4.3E-2	7.6E-3	8.7E-3
	(20, 10)	M.	5.48E-1	1.80E-1	3.34E-1	4.34E-1	1.44E-1	4.41E-2	7.01E+1	1.16E-1	4.57E-2	3.39E-3
		Std.	5.7E-2	2.4E-2	8.3E-3	5.0E-2	2.0E-2	4.0E-3	8.5E+0	6.7E-2	1.2E-2	5.9E-3
FDA5	(5, 10)	M.	6.75E+0	2.76E+0	3.88E+0	7.08E+0	2.70E+0	6.38E-1	9.97E-1	2.78E-1	2.72E-1	1.20E-1
		Std.	1.9E-1	2.8E-1	3.1E-1	1.0E+0	2.2E-1	6.1E-1	5.5E+0	1.2E-1	8.3E-2	7.8E-2
	(10, 10)	M.	5.41E+0	2.37E+0	2.19E+0	4.80E+0	1.88E+0	8.66E-1	5.97E-1	5.18E-1	1.03E-1	1.47E-2
		Std.	1.6E-1	2.7E-1	3.9E-1	2.6E-1	9.3E-2	6.7E-1	3.8E+0	4.5E-1	6.9E-2	9.5E-3
	(20, 10)	M.	2.64E+0	2.02E+0	1.04E+0	2.15E+0	1.78E+0	1.51E+0	1.47E+0	1.24E+0	3.62E-2	7.10E-3
		Std.	1.1E-1	1.8E-1	1.1E-1	1.0E-1	7.1E-2	5.4E-1	5.4E+0	7.2E-1	3.7E-2	6.3E-3
dMOP1	(5, 10)	M.	3.93E-2	1.73E-1	2.86E-1	4.64E-2	3.75E-2	3.29E-1	3.07E-1	3.77E-3	1.21E-3	1.02E-3
		Std.	3.81E-2	3.3E-2	3.6E-1	3.6E-2	2.5E-2	9.9E-5	1.2E-1	5.7E-4	4.3E-4	3.7E-4
	(10, 10)	M.	2.28E-2	1.12E-1	9.27E-2	2.57E-2	1.90E-2	3.29E-1	3.29E-1	2.03E-3	2.53E-3	3.41E-4
		Std.	2.0E-2	2.0E-2	1.3E-1	1.5E-2	1.4E-2	5.9E-5	3.3E-5	1.0E-3	3.4E-4	2.1E-4
	(20, 10)	M.	1.71E-2	5.65E-2	6.02E-2	1.59E-2	1.80E-2	3.29E-1	3.29E-1	3.07E-3	3.49E-3	8.94E-4
		Std.	1.4E-2	8.1E-3	8.1E-2	7.9E-3	1.3E-2	3.6E-5	1.7E-5	5.6E-4	2.2E-4	1.8E-4
dMOP2	(5, 10)	M.	8.06E-1	3.03E-1	3.95E-1	9.04E-1	8.71E-2	1.08E-1	1.98E-2	1.32E-2	1.33E-1	1.08E-1
		Std.	1.1E-1	4.9E-2	3.9E-2	7.3E-2	1.9E-2	8.2E-5	2.2E-1	2.4E-2	8.0E-2	2.5E-2
	(10, 10)	M.	2.90E-1	2.07E-1	1.17E-1	4.46E-1	3.59E-2	1.08E-1	8.61E-2	1.80E-3	1.08E-1	1.16E-1
		Std.	2.5E-2	2.4E-2	4.3E-2	4.2E-2	1.1E-2	6.1E-5	1.2E-1	1.2E-3	2.9E-2	5.2E-3
	(20, 10)	M.	4.50E-2	1.09E-1	5.65E-2	1.98E-1	1.85E-2	1.08E-1	8.57E-2	4.73E-3	7.98E-2	6.65E-2
		Std.	1.2E-2	1.5E-2	6.2E-3	1.4E-2	1.1E-2	3.3E-5	1.2E-1	1.8E-3	4.0E-2	4.7E-2
dMOP3	(5, 10)	M.	9.51E-1	1.05E-1	4.22E-1	7.61E-1	4.07E-1	1.13E+1	1.10E+1	1.89E+0	3.57E-1	1.42E-1
		Std.	3.4E-2	1.6E-2	1.5E-2	5.3E-2	2.4E-2	1.2E+0	1.3E-1	6.2E-1	4.0E-1	1.4E-1
	(10, 10)	M.	4.74E-1	6.57E-2	2.79E-1	4.54E-1	3.18E-1	2.49E+0	2.63E+0	1.04E+0	1.74E+1	1.69E+1
		Std.	2.8E-2	1.3E-2	2.7E-2	2.8E-2	2.9E-2	1.1E+0	2.8E-1	5.0E-1	3.0E-1	3.1E+0
	(20, 10)	M.	2.76E-1	3.63E-2	2.21E-1	2.87E-1	2.15E-1	1.63E+1	1.73E+1	2.44E+0	1.58E+1	1.55E+1
		Std.	2.5E-2	1.3E-2	1.5E-2	2.0E-2	3.0E-2	1.9E+0	1.3E-1	7.2E-1	3.0E+0	3.8E+0