

# Sauna Bathing and the Cardiovascular System

Thomas F Heston<sup>1</sup>

<sup>1</sup>Elson S Floyd College of Medicine, Washington State University

April 28, 2020

Thomas F Heston, MD, FAAFP<sup>1</sup>

<sup>1</sup>Department of Medical Education and Clinical Sciences, Elson S Floyd College of Medicine, Washington State University, Spokane, Washington USA

Citation: Heston TF. Sauna bathing and the cardiovascular system. Int J Sci Res (Ahmedabad). 2017 Nov; 6(11) 569-570.

## Abstract

Sauna bathing is a form of thermal therapy that has been utilized for generations primarily in the Scandinavian countries as a health tonic to improve well being. Current research into sauna bathing has found that not only is it extremely safe for most people, it appears to have significant health benefits for the cardiovascular and cerebrovascular systems. These vascular benefits are the most likely reason that regular sauna bathing has been associated with a decreased rate of dementia, lower mortality, and improvements in people with heart failure. Sauna bathing is safe but not entirely without risk. To minimize any risk of an adverse health event, alcohol should be avoided when sauna bathing, and bathing should not be done alone. Taking short cooling breaks when sauna bathing may maximize benefits by decreasing vascular stiffness and helping the blood vessels become more responsive to heat and other forms of stress.

*Keywords.* Sauna bathing, heat therapy, dementia, vascular diseases

## Introduction

Sauna bathing has been utilized for health benefits by gently increasing the body temperature. It is a common practice in the Scandinavian countries, and in particular Finland, where there is approximately 1 sauna for every 5 people [1]. Sauna bathing induces several physiological effects, including cardiovascular and hormonal changes. It is generally safe and well tolerated by most healthy adults and children. There have been multiple reports of various health benefits of sauna exposure ranging from improving heart failure, decreasing the risk of Alzheimer's disease, and decreasing all-cause mortality [2–4]. A common mechanism for these multiple medical benefits may be the beneficial effects sauna bathing has upon the vascular system and lipid profiles [5, 6].

## Heart Failure

Heart failure affects about 1% of people aged 65 or older. It is difficult to treat effectively, with readmission rates of up to 50% by 6 months after hospitalization. Heart failure primarily affects the elderly, so as the population ages, the incidence of heart failure is also increasing. Treatment primarily consists of medical therapy, cardiac rehab, and in selected patients, cardiac device implantation. Although not widely utilized, sauna bathing may be an additional treatment modality that can improve the clinical symptoms of patients

with heart failure. In addition, there is some evidence that sauna therapy may also be beneficial in the primary prevention of atherosclerotic disease in patients with risk factors, which may help prevent heart failure [2].

The mechanism underlying the robust health benefits observed from sauna therapy in patients with heart failure appears to be related to an improvement in vascular function. In one study, 20 people underwent 8 weeks of repeated hot water immersion treatments, and experienced increased flow-mediated dilation and reduced arterial stiffness [7]. Waon therapy, a form of dry heat therapy similar to sauna bathing, also has been shown to have beneficial structural and molecular effects on the vascular system. Another study compared the vascular effects of Waon therapy with statin therapy. This study in laboratory rats found that the structural and molecular vascular effects of Waon therapy were similar to the effects of fluvastatin [8]. A clinical trial of 20 healthy young women found that sauna bathing every other day for two weeks resulted in a statistically significant 8% drop in total cholesterol [5].

These vascular effects of sauna bathing appear to have significant health benefits in heart failure. In a study of 153 heart failure patients, Waon therapy improved the 6-minute walk distance, the cardiothoracic ratio, and the New York Heart Association (NYHA) functional classification [9]. Another study of 54 patients with chronic heart failure also found that sauna therapy significantly improved the ambulation grade, cardiothoracic ratio, and NYHA functional classification [10]. A third study of 49 heart failure patients found that Waon therapy improved the 6-minute walking distance, left ventricular ejection fraction, flow mediated dilation of the brachial artery, and overall quality of life [11].

## Alzheimer's Disease

The cardiovascular system plays a critical role in overall health, including brain function. Because decreased cerebral perfusion plays a critical role in the development of Alzheimer's disease, it makes sense that an improvement in cerebral blood flow brought about by improvements in the vascular system would decrease the risk of Alzheimer's and other cognitive diseases [12].

A recent study of 2315 apparently healthy Finnish men looked at this hypothesis. The men were aged 42 to 60 years at baseline, and they underwent a median follow-up of 21 years. During this time the cohort developed 204 cases of dementia and 123 cases of Alzheimer's disease. After adjusting for multiple cardiovascular risk factors, this study found that more frequent sauna bathing sessions decreased the risk of both dementia and Alzheimer's disease. Compared to men who engaged in only 1 sauna bathing session per week, those who engaged in 2 to 3 sessions per week had an approximate 20% decreased risk of dementia or Alzheimer's disease. Those who engaged in 4 to 7 sauna bathing sessions per week did even better. Their risk of dementia or Alzheimer's disease was decreased by about 65% [3]. Note, in this study, it was found that nearly all Finnish men engaged in regular sauna bathing (at least once a week). Out of 3433 men randomly selected, 2327 had complete information on sauna bathing and only 12 men did not use a sauna.

## Overall Mortality

Given sauna bathing's effects upon the cardiovascular system, it has been hypothesized that this form of heat therapy might result in a decreased overall mortality rate. To test this hypothesis, a prospective cohort study was performed on a sample of 2315 middle-aged Finnish men. During the median follow-up period of 21 years it was found that those who sauna bathed 4 to 7 times per week had a 39% lower all-cause mortality compared to those who bathed only 1 time per week. Those who bathed 2 to 3 times a week had a 31% lower mortality compared to the once a week group. In a multivariate analysis adjusting for cardiovascular risk factors, the mortality benefit was 40% for the 4 to 7 times a week group compared to the once a week group. This study also found that all-cause mortality was decreased by 17% in those who sauna bathed for 20 minutes or more a session, compared to those who bathed for 10 minutes or less [4].

## Minimizing Risk and Maximizing Benefits

Although sauna bathing is extremely safe, it has been associated with adverse events including death in rare cases. The most common cause of adverse events is in people who combine alcohol consumption with sauna bathing. In perhaps the largest review to date of deaths related to sauna bathing, out of 77 deaths identified over an 11 year period in Sweden, 71% of the bathers had alcohol in their system. In 65 of the 77 cases, a major disease was identified that could have explained the death. In the 77 deaths, all but 2 were found bathing alone [13]. To minimize the small but still present risks of sauna bathing, bathers should not bathe alone, and should not combine alcohol with sauna bathing. When on medications or with a chronic disease, checking with a physician should be done prior to sauna bathing. Short as opposed to long sauna bathing times may greatly decrease any risks while still conferring significant health benefits. It is always safest for people to check with their primary care provider or cardiologist before starting a regular sauna bathing program.

Like other parts of the body, it appears that the vascular system responds to interval training. By exposing the body to heat alternating with cold or normal temperatures, the blood vessels are stimulated to expand and contract. This type of vascular exercise appears to have widespread positive effects on the vascular system, similar to what is seen in sedentary people who start exercise training. This improved responsiveness of the vascular system may in part be mediated by an increase in nitric oxide dependent dilation [14]. A study of 20 young women divided the women into two groups. Group I engaged in a single 30 minute sauna bathing session every other day for two weeks. Group II underwent sauna bathing in two 20 minute sessions, interrupted by a 5 minute break of cooling down, also every other day for two weeks. Group II, but not Group I, had a statistically significant drop in their total cholesterol after two weeks [5]. Although not proven, this research suggests that frequent short sessions of sauna bathing, broken up by brief episodes of mild cooling, may maximize the benefits of sauna therapy.

## References

1. Crinnion WJ (2011) Sauna as a valuable clinical tool for cardiovascular, autoimmune, toxicant- induced and other chronic health problems. *Altern Med Rev* 16:215–225.
2. Blum N, Blum A (2007) Beneficial effects of sauna bathing for heart failure patients. *Exp Clin Cardiol* 12:29–32.
3. Laukkanen T, Kunutsor S, Kauhanen J, Laukkanen JA (2017) Sauna bathing is inversely associated with dementia and Alzheimer’s disease in middle-aged Finnish men. *Age Ageing* 46:245–249. doi: 10.1093/ageing/afw212
4. Laukkanen T, Khan H, Zaccardi F, Laukkanen JA (2015) Association between sauna bathing and fatal cardiovascular and all-cause mortality events. *JAMA Intern Med* 175:542–548. doi: 10.1001/jamainternmed.2014.8187
5. Pilch W, Szyguła Z, Klimek AT, et al. (2010) Changes in the lipid profile of blood serum in women taking sauna baths of various duration. *Int J Occup Med Environ Health* 23:167–174. doi: 10.2478/v10001-010-0020-9
6. Gryka D, Pilch W, Szarek M, et al. (2014) The effect of sauna bathing on lipid profile in young, physically active, male subjects. *Int J Occup Med Environ Health* 27:608–618. doi: 10.2478/s13382-014-0281-9
7. Brunt VE, Howard MJ, Francisco MA, et al. (2016) Passive heat therapy improves endothelial function, arterial stiffness and blood pressure in sedentary humans. *J Physiol (Lond)* 594:5329–5342. doi: 10.1113/JP272453
8. Ihori H, Nozawa T, Sobajima M, et al. (2016) Waon therapy attenuates cardiac hypertrophy and promotes myocardial capillary growth in hypertensive rats: a comparative study with fluvastatin. *Heart Vessels* 31:1361–1369. doi: 10.1007/s00380-015-0779-5

9. Tei C, Imamura T, Kinugawa K, et al. (2016) Waon Therapy for Managing Chronic Heart Failure - Results From a Multicenter Prospective Randomized WAON-CHF Study. *Circ J* 80:827–834. doi: 10.1253/circj.CJ-16-0051
10. Haseba S, Sakakima H, Kubozono T, et al. (2016) Combined effects of repeated sauna therapy and exercise training on cardiac function and physical activity in patients with chronic heart failure. *Disabil Rehabil* 38:409–415. doi: 10.3109/09638288.2015.1044032
11. Sobajima M, Nozawa T, Fukui Y, et al. (2015) Waon therapy improves quality of life as well as cardiac function and exercise capacity in patients with chronic heart failure. *Int Heart J* 56:203–208. doi: 10.1536/ihj.14-266
12. Daulatzai MA (2017) Cerebral hypoperfusion and glucose hypometabolism: Key pathophysiological modulators promote neurodegeneration, cognitive impairment, and Alzheimer’s disease. *J Neurosci Res* 95:943–972. doi: 10.1002/jnr.23777
13. Rodhe A, Eriksson A (2008) Sauna deaths in Sweden, 1992-2003. *Am J Forensic Med Pathol* 29:27–31. doi: 10.1097/PAF.0b013e318145ae05
14. Brunt VE, Eymann TM, Francisco MA, et al. (2016) Passive heat therapy improves cutaneous microvascular function in sedentary humans via improved nitric oxide-dependent dilation. *J Appl Physiol* 121:716–723. doi: 10.1152/jappphysiol.00424.2016